



Exam : 1Z0-232

Title : Oracle 11i System Administration

Ver : 11-06-08

---

**QUESTION 1**

Standard report submission provides a single interface for the submission of concurrent requests, regardless of the application. The list of reports that can be submitted in a standard report submission is determined by a report security group. In which two ways is the report security group associated with the standard report submission form? (Choose two).

- A. The request group is a securing attribute on the responsibility definition.
- B. The responsibility determines which report security group to use.
- C. Report security groups can be implicitly associated with the form in a function definition.
- D. A system profile option can be set for the user to define the default report security group.
- E. You can associate report security groups with form functions in the request group definition screen.

Answer: B,C

---

**QUESTION 2**

Which is the standard deferred agent for a subscription to place an event message for a PL/SQL subscription process?

- A. WF\_Error agent
- B. WF\_JMS Deferred agent
- C. WF\_PL/SQL\_Deferred agent
- D. WF\_JAVA\_Deferred agent
- E. WF\_Deferred agent

Answer: E

---

**QUESTION 3**

A \_\_\_\_\_ is a collection of reports and concurrent programs that is used to implement security at the responsibility level.

- A. responsibility access group
- B. request set
- C. concurrent group
- D. request group

Answer: D

---

**QUESTION 4**

In Oracle E-Business Suite, you can search subscriptions by \_\_\_\_\_, \_\_\_\_\_ or \_\_\_\_\_. (Choose three.)

- A. Phase
- B. Rule Function
- C. Source Type
- D. Triggering Event
- E. Status

Answer: C,D,E

---

**QUESTION 5**

Through which methods does the Oracle Workflow notification system enable notifications to be viewed? (Choose all that apply.)

- A. Web pages
- B. EDI
- C. e-mail
- D. Extensible Markup Language (XML)

Answer: A,C

---

**QUESTION 6**

Choose the concurrent program to execute in order to understand or document a menu structure.

- A. Object Security Report
- B. Menu Profile Report
- C. Object Function Report
- D. Function Security Report

Answer: D

---

**QUESTION 7**

A workflow is errored. Which are four valid actions for a Workflow user with the ADMIN role to respond to the error? (Choose four.)

- A. skip the suspended process without resuming
- B. suspend the errored process
- C. reassign the Notification and delegate the authority to respond to notification to a new recipient but retain the ownership of the notification
- D. reassign the Notification with complete transfer of ownership and responsibility to a new recipient
- E. cancel the Notification without reassigning

Answer: B,C,D,E

---

**QUESTION 8**

At your company, for the USA-Order Management Super User responsibility, the

"Concurrent:Report Access Level" profile option is set to "User." For the user Joe, the Concurrent:Report Access Level profile option is set to "Responsibility. The USA-Order Management Super User responsibility is assigned to Joe. Which statement is true?

- A. Joe can view only the requests submitted by him using the USA-Order Management Super User responsibility.
- B. Joe can view only those requests submitted by him and the requests submitted by all other users using the USA-Order Management Super User responsibility.
- C. All users who have the USA-Order Management Super User responsibility can view Joe's requests.
- D. Joe can view only the requests submitted by all users using the USA-Order Management Super User responsibility

Answer: B

---

**QUESTION 9**

On the Scheduling event page of the Agent Listener Configuration Wizard, which five events can be raised to control the running of the agent listener service component? (Choose five.)

- A. Commit
- B. Resume
- C. Stop
- D. Refresh
- E. Start
- F. Rollback
- G. Suspend

Answer: B,C,D,E,G

---

**QUESTION 10**

Which three properties of a user account drive data security within Oracle Applications? (Choose three.)

- A. Securing Attributes
- B. Username and Password
- C. Password Expiration
- D. Indirect Responsibilities
- E. Direct Responsibilities

Answer: A,D,E

---

**QUESTION 11**

What is a subscriber system?

- A. a system that sends messages to external systems

- B. a system that equeues and dequeues messages
- C. the system where the subscription is executed
- D. an external system that receives messages

Answer: C

---

**QUESTION 12**

Through which mechanisms does the External Source System send an event message to the event subscription?

- A. by populating messages in an Oracle Common interface table
- B. all of the above
- C. by populating messages in a flat file
- D. through Oracle Advance Queuing

Answer: D

---

**QUESTION 13**

You used the system profile option screen to change the value of the profile option at the site level. In order for a system user to notice the change to the profile option, what do you need to do?

- A. Restart the database
- B. Restart Apache
- C. Restart the concurrent manager
- D. Re-initialize the applications session
- E. Restart forms server

Answer: D

---

**QUESTION 14**

Because of performance issues regarding the application system, the IT department has decided to run all resource intensive reports during non-peak hours of business. They presented a list of 10 reports that can be scheduled, and further mentioned that five of the reports can be run concurrently. The remaining five reports have to be run sequentially, and are not dependent on each other. The system administrator has been tasked to create a request set and schedule it to run at 10 PM EST everyday. Which two statements are true? (Choose two)

- A. Linking of stages is not mandatory.
- B. All the reports that are to be run sequentially have to be in different stages.
- C. The new request set would have a maximum of two stages.
- D. All the reports that are to be run concurrently have to be in the same stage.

Answer: B,D

---

**QUESTION 15**

Your company is recovering from an incident where one of the application developers used the Developer Administration responsibility to deactivate the Conflict Resolution Manager in production, thus causing delays in business operations. You have successfully re-started the concurrent manager, and the operations of the business have returned to normal. The chief operations officer wants to know if this issue can be prevented in the future. How can the Developer Administration responsibility be altered to satisfy the chief operations officer's requirement?

- A. by changing the Request Security Group.
- B. by adding a Securing Attribute.
- C. by adding a Menu Exclusion.
- D. by assigning a Profile Option Value.
- E. by changing the Data Group.

Answer: C

---

**QUESTION 16**

Which three are accessible from the menu structure? (Choose three).

- A. Concurrent Programs
- B. Form Functions
- C. Non Form Functions
- D. Sub functions
- E. Menus

Answer: B,C,E

---

**QUESTION 17**

Which actions can be performed using the workflow monitor in Standalone Oracle workflow? (Choose all that apply.)

- A. display status information about activities
- B. display only the status information about the process
- C. update WF\_ITEM\_ACTIVITY\_STATUSES\_V
- D. use the Attribute button in the View Diagram window to call WF\_ENGINE.SetActivityAttr

Answer: A

---

**QUESTION 18**

Which aspect of the Request Set the user can define when the Request Set is submitted to the concurrent manager?

- A. Parameters
- B. Parallel Print Options

- C. Executed Stages
- D. Incompatibility Options
- E. Error Handling

Answer: A

---

**QUESTION 19**

Which statement is correct about the Workflow Monitor?

- A. It is a stand-alone Windows PC program that enables administrators to monitor workflow processes.
- B. It is a Web page that enables users to monitor their workflow processes.
- C. It is a stand-alone Windows PC program that enables users to monitor their workflow processes.
- D. It is an administrator-only Web page that enables administrators to monitor any workflow processes.

Answer: B

---

**QUESTION 20**

One of the integration architects is attempting to standardize the path locations for inbound and outbound feeds for the applications.

Currently they are providing the full path name of the file on the file system when they submit the request to load the feeds. They would like to soft code the path of the file name by server to shorten the parameter entry and reduce key errors when submitting the interfaces.

Currently all of the feeds, both inbound and outbound, are being kept in a single directory on the server. They would like to separate the files into directories by application, and have a separate inbound and outbound feed directory.

This is a global implementation with middle-tier services strategically placed around the world. The North American services are all from the data center in New York. The European services are being provided from the European data center in England, and the Asia-Pacific services are hosted in a data center in India.

The architect's plan is to create two profile options: one for inbound path and one for outbound path. All the utl\_file directories used by the integration programs would be standardized for use. His plan is to set them at the application and server level to soft code the directory path for all of the integration points.

He would also like to provide users with the ability to change the path for their user, or for a development-centric responsibility only to support individual testing efforts on non-production servers.

He would also prefer to prevent anyone from setting the value of the profile option at the operating unit level.

Identify the flaw in the architect's proposed solution.

- A. The interfaces would not be able to read the value of the profile option at the server level.

- B. A profile option can only be assigned to one hierarchy type.
- C. Interfaces do not run under a specific responsibility.
- D. The value of the profile option cannot be controlled by the server.
- E. Profile options cannot be controlled by the operating unit.

Answer: B

---

**QUESTION 21**

Identify three actions users can perform when submitting a request set. (Choose three.)

- A. Users can schedule the request set to run periodically.
- B. Users can enter the values to the parameters for the concurrent programs.
- C. Users can specify the print options for the programs.
- D. Users can decide whether the programs can run in parallel or sequential.

Answer: A,B,C

---

**QUESTION 22**

Which modification is needed to the following statement, to make it correct? "The navigator displays all menus, functions, and sub functions."

- A. The navigator displays only menu items needed for navigation that have not been excluded.
- B. The navigator displays all menus and functions, but no sub functions.
- C. The navigator displays only menu items needed for navigation.
- D. The navigator displays all menus, functions, and sub functions that have not been excluded.

Answer: A

---

**QUESTION 23**

Which three properties of a user account drive function security within Oracle Applications? (Choose three.)

- A. Password Expiration
- B. Securing Attributes
- C. User name and Password
- D. Indirect Responsibilities
- E. Direct Responsibilities

Answer: B,D,E

---

**QUESTION 24**

Which three search criteria are valid when using the status monitor in Standalone Oracle workflow? (Choose three.)

- A. workflow
- B. workflow type
- C. notification type
- D. workflow started

Answer: A,B,D

---

**QUESTION 25**

Identify three conditions under which a concurrent request may be permitted to be placed on hold. (Choose three.)

- A. Pending - Normal
- B. Running - Paused
- C. Running - Normal
- D. Pending - Scheduled
- E. Inactive - No Manager
- F. Inactive - On Hold

Answer: A,D,E

---

**QUESTION 26**

Which statement accurately reflects the interaction of stages within a request set?

- A. Stages run sequentially whereas requests run in parallel within each stage. The set completes when a stage completes with no linked stage for the completion status.
- B. Stages run sequentially whereas requests can run in parallel or sequentially within each stage. The set completes when a stage completes with no linked stage for the completion status.
- C. Stages run either sequentially or in parallel, and requests can run in parallel or sequentially within each stage. The set completes when a stage completes with no linked stage for the completion status.
- D. Stages run either sequentially or in parallel, whereas requests run in parallel within each stage. The set completes when a stage completes with no linked stage for the completion status.
- E. Stages run either sequentially or in parallel, whereas requests run in parallel within each stage. The set completes when all stages have been executed.
- F. Stages run sequentially whereas requests can run in parallel or sequentially within each stage. The set completes when all stages have been executed.

Answer: A

---

**QUESTION 27**

Analyze the submission schedules the users wish to use. Which user would have difficulty in submitting his or her program using his or her preferred schedule?

- A. User 5 wants to schedule his or her program to run 25 times a day.

- B. User 2 wants to schedule his or her program to run every 25 minutes.
- C. User 3 wants to schedule his or her program to run on the first and third Tuesdays of each month.
- D. User 1 wants to schedule his or her concurrent program to run on the 15th and the last day of every month.
- E. User 4 wants to schedule his or her program to run just once, but at the end of the current year.

Answer: C

---

**QUESTION 28**

Which type of event message does Business Events use to enqueue event messages to external systems?

- A. Binary
- B. any data type format
- C. ASCII
- D. WF\_EVENT\_T

Answer: D

---

**QUESTION 29**

When you define an event group, which option describes the subscription?

- A. Your group would execute whenever the group is requested. If you want the group to trigger on individual events, you would need to subscribe to those events individually.
- B. You must also be subscribed to each individual event. Any unsubscribed individual events would not execute during processing of the group.
- C. You can subscribe to the group, and all of the individual subscriptions would run even if you are not subscribed to them individually.
- D. You can edit the event group as a whole, saving a great deal of time and effort in the development process.

Answer: C

---

**QUESTION 30**

You created a new inquiry-only responsibility for your finance department users. After you set up the responsibility, the users indicate that they cannot execute all the concurrent programs that they requested. Which component of the responsibility needs to be changed?

- A. User Assignments
- B. Data Group
- C. Exclusions
- D. Menu
- E. Request Group

Answer: E

---

**QUESTION 31**

You are using Oracle Applications Manager (OAM), and you refresh the data within the OAM dashboard. The PL/SQL Agent status is showing as down. What does this mean?

- A. Your concurrent manager is down.
- B. Your applications database server is down.
- C. Your workflow engine is down.
- D. The Self-Service Framework-based applications would not function.
- E. You would not be able to log in to any Web-based Self-Service applications.
- F. You cannot create and compile packages and procedures that were written in PL/SQL.

Answer: E

---

**QUESTION 32**

You used the system profile option screen to change the value of the profile option at the site level. In order for a system user to notice the change to the profile option, what do you need to do?

- A. Restart forms server
- B. Re-initialize the applications session
- C. Restart the database
- D. Restart Apache
- E. Restart the concurrent manager

Answer: B

---

**QUESTION 33**

What is true about the information displayed by a user using the Workflow Monitor? (Choose three.)

- A. It maintains and controls the user and role access list for workflow.
- B. It summarizes information on the status of a workflow.
- C. It shows a graphical depiction of the workflow status.
- D. It allows control over individual workflow components.
- E. It provides detailed information about individual workflow activities.

Answer: B,C,E

---

**QUESTION 34**

One of the Administrators indicated that even 10 minutes after starting the Standard Manager, it is still not running any requests, and the pending jobs are piling up in the queue. The administrator has requested for your help. You are looking at the Administer Concurrent Manager screen, and you notice the following: For the Internal Manager the

number of actual processes is 0, target processes is 0, and pending requests is 1. For the Standard Manager the number of actual processes is 0, target processes is 3, and pending requests is 56. For the Conflict Resolution Manager the number of actual processes is 0, target processes is 0, and pending requests is 1. Analyze the state of the concurrent managers and identify the solution for resolving this issue.

- A. The Conflict Resolution Manager is not running, it must be started before the request to start the Standard Manager can be executed. Place the cursor on the Conflict Resolution Manager record and press the Restart button.
- B. The Internal Manager is not running, it must be started before the request to start the Standard Manager can be executed. Place the cursor on the Internal Manager record and press the Restart button.
- C. The Internal Manager is not running, it must be started before the request to start the Standard Manager can be executed. Enter the operating system and start the Internal Manager.

Answer: C

---

**QUESTION 35**

Which statements are true about the Business Event System? (Choose all that apply.)

- A. It uses flat files stored in the file system as .WFTs to define events.
- B. It exists on the database tier, and can be stand-alone, or be integrated with the Workflow Engine.
- C. It is a subcomponent of Oracle Workflow, and requires the Workflow Engine to operate.
- D. It uses XML to define events that are monitored via the XML Gateway.

Answer: B

---

**QUESTION 36**

Which four activities does the Event Manager enable you to perform? (Choose four.)

- A. register subscriptions to events
- B. register business events
- C. register users and roles for events
- D. register event processing engines
- E. register systems
- F. register named communication agents

Answer: A,B,E,F

---

**QUESTION 37**

Your company uses Oracle Application Manager (OAM). You are asked to configure the OAM dashboard. As part of the configuration, which five actions should you perform? (Choose five.)

- A. Configure system alerts to trigger when metrics for given business activities (such as open receivables, on-hand inventory value, sales, open orders, forecast, and budget) meet a specific condition.
- B. Configure the collection of dashboard metrics for system activities (such as form sessions, database sessions).
- C. Enable or disable monitoring of individual business activities' metrics (such as open receivables, on-hand inventory value, sales, open orders, forecast, and budget ) in the application dashboard.
- D. Enable or disable monitoring of individual system services (such as PL/SQL Agent, Servlet Agent) in the application dashboard.
- E. Configure the collection of dashboard metrics for your company's business activities (such as open receivables, on-hand inventory value, sales, open orders, forecast, and budget).
- F. Enable or disable monitoring of individual system activities' metrics (such as form sessions, database sessions) in the application dashboard.
- G. Configure system alerts to trigger when a given system service (such as PL/SQL Agent, Servlet Agent) has a specific status.
- H. Configure system alerts to trigger when a given system activity's metrics (such as form sessions, database sessions) meet a specific condition.

Answer: B,D,F,G,H

---

**QUESTION 38**

What is an indication that there are not enough background engines available?

- A. abnormal number of activities with Errored status
- B. abnormal number of activities with Suspended status
- C. abnormal number of activities with Deferred status
- D. abnormal number of activities with Active status

Answer: C

---

**QUESTION 39**

You are using the System Profile Option screen to initialize the value of a profile option at several levels. You select the levels, the level context, and the profile option to change. You are able to default the value for the site, application and responsibility, but you are unable to change the value for the user level. Which statement explains this situation?

- A. The responsibility secures the ability to control profile options.
- B. The application prevents the changing of canned profile options at that level.
- C. Another profile option toggles changing of profile options at the user level by the system administrator and is currently false.
- D. The profile option definition prohibits changing the value of the profile option at that level.

E. Only users are permitted to set their profile option values by using the personal profile settings.

Answer: D

---

**QUESTION 40**

Which statement accurately reflects the interaction of stages within a request set?

- A. Stages run sequentially whereas requests can run in parallel or sequentially within each stage. The set completes when a stage completes with no linked stage for the completion status.
- B. Stages run sequentially whereas requests can run in parallel or sequentially within each stage. The set completes when all stages have been executed.
- C. Stages run either sequentially or in parallel, whereas requests run in parallel within each stage. The set completes when all stages have been executed.
- D. Stages run either sequentially or in parallel, and requests can run in parallel or sequentially within each stage. The set completes when a stage completes with no linked stage for the completion status.
- E. Stages run either sequentially or in parallel, whereas requests run in parallel within each stage. The set completes when a stage completes with no linked stage for the completion status.
- F. Stages run sequentially whereas requests run in parallel within each stage. The set completes when a stage completes with no linked stage for the completion status.

Answer: F

---

**QUESTION 41**

The Business Event System transforms event messages received from external systems into a standard workflow format/type of \_\_\_\_\_.

- A. JMS Text
- B. Binary
- C. ASCII Text
- D. WF\_EVENT\_T

Answer: D

---

**QUESTION 42**

You submitted a concurrent request. Upon checking the status of the concurrent request, you notice that it is currently in a pending standby status. What could have caused this outcome?

- A. The system administrator has temporarily stopped the manager from processing the request. It would be started when the administrator releases it.
- B. The concurrent manager has no open slots in which to execute the request. It is

waiting for something else to complete.

C. The concurrent program has incompatibilities that are being resolved by the Conflict Resolution Manager.

D. The concurrent manager is down and must be restarted before the request can be started.

E. This is an expected outcome. The concurrent program has not started the request yet.

Answer: C

---

**QUESTION 43**

You are working on an 11.5.10.x OA Framework personalization. You have Page A that extends Shared Region B, that Shared Region B extends Shared Region C. You set your personalization context scope to PAGE and create a personalization that alters Shared region C. Which statement is true?

A. The personalization you saved would be seen on all the pages extends shared region B.

B. The personalization you saved would be seen on all the pages extends shared region C.

C. The personalization you saved would be seen on all the pages extends shared region B and shared region B extends shared region C.

D. The personalization you saved would be seen on page A only.

Answer: D

---

**QUESTION 44**

You are moving workflow objects from your development system to your production system. You need to transfer the workflow objects from the development database into files that can then be uploaded to the development system. Which kinds of objects will you transfer using the Workflow XML Loader? (Choose all that apply.)

A. any metadata Workflow objects

B. Workflow objects

C. Business Event System objects

Answer: C

---

**QUESTION 45**

Which two methods can you use to transfer workflow definitions to a stand-alone Oracle Workflow database? (Choose two.)

A. Workflow Definition Loader concurrent request

B. Workflow Builder

C. FNDLOAD

D. wfload

Answer: B,D

---

**QUESTION 46**

You have been tasked with creating Business Events for a stand-alone workflow project. Which option would you use to create your Business Events?

- A. Oracle Workflow Builder
- B. Oracle Workflow Definition Loader
- C. Oracle Business Event Definition Loader
- D. Events Web page

Answer: D

---

**QUESTION 47**

Which three types of information would you find on the Notification Response Detail page in Standalone Oracle workflow? (Choose three.)

- A. time out
- B. response
- C. activity type
- D. notification subject
- E. respondent

Answer: B,D,E

---

**QUESTION 48**

You are working on an 11.5.10.x OA Framework personalization. You have Page A that extends Shared Region B, that Shared Region B extends Shared Region C. You set your personalization context scope to PAGE and create a personalization that alters Shared region C. Which statement is true?

- A. The personalization you saved would be seen on page A only.
- B. The personalization you saved would be seen on all the pages extends shared region B and shared region B extends shared region C.
- C. The personalization you saved would be seen on all the pages extends shared region B.
- D. The personalization you saved would be seen on all the pages extends shared region C.

Answer: A

---

**QUESTION 49**

What is the correct explanation of why responsibilities can access both Applications and Self Service Applications functions, given that you must designate the responsibility as either an Applications or Self Service Applications responsibility upon its definition?

- A. Request groups contain programs for any application.
- B. Menus may contain both forms and functions.
- C. Profile options control this behavior.
- D. Data groups contain mappings for web and form based applications.

E. Securing options control this behavior.

Answer: B

---

**QUESTION 50**

\_\_\_\_\_ controls subscription actions.

- A. Business Event System
- B. Notification System
- C. Rule function
- D. Workflow Engine

Answer: C

---

**QUESTION 51**

Your company's finance manager has decided to prevent users of the US Expense Reporting responsibility from entering mileage on their expense reports in kilometers. Identify the type of modification you must make to the US Expense Reporting responsibility to satisfy the finance manager's request.

- A. Add an Item Exclusion.
- B. Change the Menu Definition.
- C. Add a Menu Exclusion.
- D. Add a Securing Attribute.

Answer: A

---

**QUESTION 52**

Because of performance issues regarding the application system, the IT department has decided to run all resource intensive reports during non-peak hours of business. They presented a list of 10 reports that can be scheduled, and further mentioned that five of the reports can be run concurrently. The remaining five reports have to be run sequentially, and are not dependent on each other. The system administrator has been tasked to create a request set and schedule it to run at 10 PM EST everyday. Which two statements are true? (Choose two)

- A. All the reports that are to be run sequentially have to be in different stages.
- B. The new request set would have a maximum of two stages.
- C. Linking of stages is not mandatory.
- D. All the reports that are to be run concurrently have to be in the same stage.

Answer: A,D

---

**QUESTION 53**

The finance manager has requested the creation of a request set. The intention of the request set is to load GL journals from an external system. All the concurrent programs to

be used by the set have been developed. The set includes a combination of custom and standard programs. The finance department is currently running the programs individually and there have been issues. The purpose of the set is to standardize the submission process.

The first stage of the set should execute a concurrent program to load the flat file containing the interface records into an interface table. The user should be required to enter the path and file name when submitting the request set.

If the first stage is successful, the set should execute the second stage, which is a concurrent program to pre-validate the contents of the interface table, process them, and put them into GL Interface. This concurrent program currently has a parameter to limit the execution to a certain set of data, but for this particular request set the finance manager does not want the person submitting the report to set or see the parameter.

If the pre-validation program in the second stage completes normally, the set should start the third stage which runs journal import. The entire set of parameters for journal import should be defaulted in the report set definition to appropriate values. They should be visible to the user submitting the request, but they should not have the ability to change them.

If the pre-validation program fails the set should start the fourth stage, which runs the pre-validation program's exception report. The exception report normally has no parameters but for the execution of this set the finance manager would like to add a parameter to limit the exception report to the list of exceptions for this run of the report set.

After the exception report is finished the report set should terminate. After journal import is completed in stage 3, the report set should submit stage 5, which executes one of the journal entry detail reports. This report has the set of books as a parameter. This should default to the profile option for the user's responsibility. If the profile option is not set for the responsibility the parameter should be displayed and set by the user running the set. If the profile option is set for the responsibility then the parameter should be hidden from the user.

Analyze the above requirements and identify two requirements that are problematic to implement by performing the setups required to make the request set. (Choose two.)

- A. The request set cannot be configured to default the parameters for Journal Import and prevent users from changing them when the set is submitted.
- B. Stage 2 cannot optionally start stage 3 or stage 5 dependent on the outcome of stage 2.
- C. The user would not be permitted to enter the file name to load in stage 1 because parameter values can only be assigned in the set definition.
- D. The journal entry detail report cannot hide the set of books parameter from the user on the basis of whether or not the default value contains a value or is null.
- E. The parameter to limit the output of the pre-validation exception report does not exist. Therefore, the report set cannot use that in the set setup.

Answer: D,E

---

#### **QUESTION 54**

You are using Oracle User Management. Which statements are true? (Choose all that

apply.)

- A. Responsibility restricts user access to individual menus and menu options within the system, and restricts access to the individual data that is shown, once after a user has selected a menu or menu option.
- B. You can define multiple responsibilities for a single role
- C. Access to parts of responsibility, and its corresponding menu hierarchy, can be controlled by different roles.
- D. Responsibilities can be linked together, so that higher-level responsibilities include the menus and menu options of the lower level ones.

Answer: B,C

---

**QUESTION 55**

Your company is using Oracle Application Manager (OAM). Your manager asked you to set up an alert, which should trigger whenever Forms Runaway Processes occur on the system. Which are the three thresholds that you need to configure, so that whenever a forms session exceeds any of these thresholds, the system would post an alert? (Choose three.)

- A. maximum number of transactions
- B. maximum number of form sessions
- C. maximum duration
- D. maximum number of users
- E. maximum memory size
- F. maximum CPU percent

Answer: C,E,F

---

**QUESTION 56**

You have been tasked to create a new workflow to be run on an Oracle 11i Applications instance. Which version of Oracle Workflow would you use?

- A. Stand-Alone
- B. Standard Edition
- C. Enterprise Edition
- D. Embedded

Answer: D

---

**QUESTION 57**

Your company is recovering from an incident where one of the application developers used the Developer Administration responsibility to deactivate the Conflict Resolution Manager in production, thus causing delays in business operations. You have successfully re-started the concurrent manager, and the operations of the business have returned to normal. The chief operations officer wants to know if this issue can be

prevented in the future. How can the Developer Administration responsibility be altered to satisfy the chief operations officer's requirement?

- A. by assigning a Profile Option Value.
- B. by changing the Request Security Group.
- C. by adding a Menu Exclusion.
- D. by changing the Data Group.
- E. by adding a Securing Attribute.

Answer: C

---

**QUESTION 58**

At ABC company, the change management group has decided to provide the role of approving POs to the purchasing manager, and has asked the system administrator to make the changes to the roles. Which privileges does the system administrator need to perform this task? (Choose two.)

- A. User Administration
- B. None of the above
- C. Role Administration
- D. System Administration

Answer: A,C

---

**QUESTION 59**

Which property drives the hierarchical display of items on the Navigator?

- A. Menu Sequence
- B. Menu Prompt
- C. Menu Type
- D. Menu Name

Answer: A

---

**QUESTION 60**

Which two aspects are required to be entered to submit Journal Import as a concurrent request? (Choose two.)

- A. completion options
- B. parameters
- C. concurrent program name
- D. printing options
- E. submission schedule

Answer: B,C

---

**QUESTION 61**

Which option best describes the typical workflow planning process?

- A. Identify business needs, identify activities to accomplish those needs, identify how the process is started, and identify possible results of the process.
- B. Identify business needs, identify functions to accomplish those needs, identify business events, and identify possible results of the process.
- C. Identify business components, identify functions and notifications to fit the components, identify the process flow, and identify possible results of the flow.
- D. Identify business flow, identify business needs, identify steps to resolve those needs, and identify the end results of the process.

Answer: A

---

**QUESTION 62**

Identify the metrics that can be configured for thresholds and receiving alerts as part of the dashboard setup. (Choose three).

- A. Forms sessions
- B. PL/SQL agents
- C. Patches applied
- D. Site level profile options
- E. JSP agents

Answer: A,C,D

---

**QUESTION 63**

ABC Company has implemented Oracle E-Business Suite. It has been live in production for about one year.

The system administrator is using Oracle Applications Manager (OAM) for monitoring E-Business suite.

Because of the volume of concurrent requests submitted by the users, the IT group has collectively decided to purge the concurrent requests and manager data every 10 days.

As part of the monitoring activity, the system administrator has added this to the critical activities. In the "Update Frequency for Monitored Critical Activities" form, he has entered a value of 10 in the "Onsite Frequency Days" column and saved the form.

In the Application Dashboard screen, on the Critical Activities tabbed page, the following values are displayed:

Column name Value

On Schedule (Oracle Recommended) Unavailable icon

Onsite Frequency Every 10 days

On Schedule (Onsite frequency) Warning icon

Why is the "On Schedule (Onsite frequency)" column showing a warning?

- A. The program was scheduled in the concurrent manager to run at a frequency < 10 days.

- B. The program was scheduled in the concurrent manager to run at a frequency > 10 days.
- C. When the program ran the last time, it completed with a warning.
- D. Programs are overdue with respect to Oracle recommended or Onsite frequencies.

Answer: D

---

**QUESTION 64**

Your company uses Oracle User Management. In Department X there are four users and three managers. All managers need access to the same functions, and all users need access to the same functions. Managers access all functions accessed by the users, and also some additional functions. To implement the requirement, you need to define at least \_\_\_\_\_.

- A. four roles
- B. two roles
- C. one role
- D. 12 roles
- E. three roles

Answer: B

---

**QUESTION 65**

Which option best defines the concept of Data Security, that is used by the administrators to control user access to data?

- A. control user access to encrypted data.
- B. data Hub
- C. applications functionality
- D. specific data and functions applied to data
- E. database instance

Answer: D

---

**QUESTION 66**

Which two capabilities are provided by the Administrator Monitor? (Choose two.)

- A. reset the protection level of workflow objects stored in the database
- B. purge a running process
- C. rewind the workflow to an earlier activity stage
- D. review activities

Answer: C,D

---

**QUESTION 67**

A user reported issues while running concurrent requests and not generating log files.

The DBA or the system administrator has reviewed the issue and concluded that the issue is related to insufficient space for creating log files, and the solution is to purge and release space. The IT Manager has agreed to purge concurrent requests, request log files and report output files from the operating system, except for the last two weeks. What is the next step for the DBA or the system administrator?

- A. run Purge Concurrent Request and/or Manager Data Program with parameters Entity: Request and Mode=Age and Mode Value = 14
- B. run Purge Concurrent Request and/or Manager Data Program with parameters Entity: ALL and Mode=Age and Mode Value = 14
- C. run Purge Concurrent Request and/or Manager Data Program with parameters Entity: ALL and Mode=Count and Mode Value = 14
- D. run Purge Concurrent Request and/or Manager Data Program with parameters Entity: Request and Mode=Count and Mode Value = 14

Answer: B

---

**QUESTION 68**

Which two aspects are required to be entered to submit Journal Import as a concurrent request? (Choose two.)

- A. concurrent program name
- B. printing options
- C. submission schedule
- D. parameters
- E. completion options

Answer: A,D

---

**QUESTION 69**

An application developer created a custom form for entering additional item information, and registered the form in the application. Identify the steps required to add the custom form to the Inventory Manager responsibility. (Choose two.)

- A. Add the custom form function to the responsibility using menu inclusions.
- B. Create a custom form function.
- C. Add the custom form function to the user.
- D. Add the custom form function to the menu of the Inventory Manager responsibility.

Answer: B,D

---

**QUESTION 70**

Which three types of integration does the Business Event System support? (Choose three.)

- A. parent/child messaging

- B. simple object access protocol (SOAP) messaging
- C. point-to-point
- D. messaging hub system
- E. distributed applications messaging

Answer: C,D,E

---

**QUESTION 71**

You have just submitted a concurrent request. The concurrent program has incompatibilities. The concurrent program spawns a child concurrent program. The concurrent request would not be placed on hold. You decide to kill the concurrent request after the sub program has completed, but before the main program is completed. Identify which statement accurately reflects, in the proper sequence, the phases and statuses that the concurrent request would have.

- A. Pending - Standby, Pending - Normal, Running - Normal, Running - Terminating, and Completed - Terminated
- B. Pending - Standby, Pending - Normal, Running - Normal, Running - Paused, Running - Normal, Running - Terminating, and Completed - Normal
- C. Pending - Standby, Pending - Normal, Running - Normal, Running - Paused, Running - Normal, Running - Terminating, and Completed - Terminated
- D. Pending - Standby, Pending - Normal, Running - Normal, Running - Terminating, and Completed - Normal
- E. Pending - Normal, Pending - Standby, Pending - Normal, Running - Normal, Running - Paused, Running - Normal, Running - Terminating, and Completed - Terminated

Answer: C

---

**QUESTION 72**

You are running the Workflow Definitions Loader concurrent program. Which four run-time modes are available? (Choose four.)

- A. Revert
- B. Override
- C. Force
- D. Download
- E. Upgrade
- F. Upload

Answer: C,D,E,F

---

**QUESTION 73**

In Oracle E-Business Suite, there are seeded events. When are subscriptions to these events executed? (Choose two.)

- A. When the triggering event is owned by a licensed product.

- B. When the triggering responsibility belongs to a licensed user.
- C. When the subscription is owned by a licensed product.

Answer: A,C

---

**QUESTION 74**

You were asked to change labels on one of the OA Framework-based application pages. You made a set of Site-level personalizations to a region by changing the labels of four fields from a, b, c and d to w, x, y, and z. You also made org-level personalizations to the same region. The org-level personalizations for Org 2 that you made include changing the label of the last field to zz. A user of Org 2 would see labels of four fields as \_\_\_\_.

- A. w, x, y, z
- B. a, b, c, zz
- C. a, b, c, d
- D. w, x, y, zz

Answer: D

---

**QUESTION 75**

Because of security concerns, Receivables clerks were initially not provided with access to the Customer form. This customer form is a standard Oracle form developed based on template.fmb. After careful consideration, they were authorized to only view the customer information. The system administrator was assigned the task of making it possible for the clerks to view the customer information but not modify any customer-related data. Identify how best to meet this requirement quickly and with minimal effort.

- A. Create a copy of the form and modify the form to make it read only.
- B. Create a new function and enable the query\_only check box.
- C. Create a new form to make it read only.
- D. Create a new function pointing to the same form and use the QUERY\_ONLY parameter to make it read only.

Answer: D

---

**QUESTION 76**

As a system administrator, you are requested to create a new responsibility called "Purchasing Buyer," which is identical to "Purchasing Manager" except that requisitions functionality is given only to the purchasing manager. You are able to satisfy the requirement using any of the options shown. Identify the option that is aligned with best practices.

- A. by creating a new menu, but using the responsibility exclusion feature
- B. by creating a new responsibility and a new menu
- C. by not creating a new responsibility and menu, but using exclusion features for both

D. by creating a new responsibility and using the menu exclusion feature

Answer: D

---

**QUESTION 77**

Which three should be set during the testing of any workflow process? (Choose three.)

- A. a global workflow preference
- B. the item type name
- C. a lookup type node
- D. the name of the process to test
- E. an optional process owner
- F. a unique item key for the process instance

Answer: B,D,F

---

**QUESTION 78**

The Receivable Super User responsibility is based on the Receivable Super menu. A custom function "Receivables Summary" is added to the Receivable Super menu. Assume that if the user is in the Receivable Super User responsibility, the user has to change responsibility to Receivable Super User. When is the function available to the user?

- A. immediately after saving the function in the menu window
- B. immediately after entering the function row in the menu window
- C. immediately after the successful completion of the compile security program
- D. immediately after the system cache is refreshed

Answer: C

---

**QUESTION 79**

Which two agent listeners are meant for Oracle eBusiness Suite only? (Choose two.)

- A. Workflow Java Error
- B. Workflow Inbound Notification
- C. Workflow Error
- D. Workflow Java Deferred
- E. Workflow Deferred Notification
- F. Workflow Deferred

Answer: A,D

---

**QUESTION 80**

ABC Company has implemented Oracle E-Business Suite. It has been live in production for about one year.

The system administrator is using Oracle Applications Manager (OAM) for monitoring

E-Business suite.

Because of the volume of concurrent requests submitted by the users, the IT group has collectively decided to purge the concurrent requests and manager data every 10 days. As part of the monitoring activity, the system administrator has added this to the critical activities. In the "Update Frequency for Monitored Critical Activities" form, he has entered a value of 10 in the "Onsite Frequency Days" column and saved the form. In the Application Dashboard screen, on the Critical Activities tabbed page, the following values are displayed:

Column name Value

On Schedule (Oracle Recommended) Unavailable icon

Onsite Frequency Every 10 days

On Schedule (Onsite frequency) Warning icon

Why is the "On Schedule (Onsite frequency)" column showing a warning?

- A. The program was scheduled in the concurrent manager to run at a frequency < 10 days.
- B. Programs are overdue with respect to Oracle recommended or Onsite frequencies.
- C. When the program ran the last time, it completed with a warning.
- D. The program was scheduled in the concurrent manager to run at a frequency > 10 days.

Answer: B

---

**QUESTION 81**

The Oracle Workflow engine is \_\_\_\_\_.

- A. embedded in any Oracle Application Server
- B. embedded in any Oracle database
- C. embedded only in Oracle11i Applications Application Servers
- D. embedded only in Oracle11i Applications database

Answer: B

---

**QUESTION 82**

Which aspect of the Request Set the user can define when the Request Set is submitted to the concurrent manager?

- A. Error Handling
- B. Parallel Print Options
- C. Executed Stages
- D. Incompatibility Options
- E. Parameters

Answer: E

---

**QUESTION 83**

Which two components are optional when creating a responsibility? (Choose two.)

- A. Request Group
- B. User Assignments
- C. Exclusions
- D. Menu
- E. Data Group

Answer: A,C

---

**QUESTION 84**

At ABC company, the change management group has decided to provide the role of approving POs to the purchasing manager, and has asked the system administrator to make the changes to the roles. Which privileges does the system administrator need to perform this task? (Choose two.)

- A. System Administration
- B. None of the above
- C. User Administration
- D. Role Administration

Answer: C,D

---

**QUESTION 85**

Identify the policies that are defined to grant access to business objects.

- A. Responsibility
- B. Form Security
- C. Data Security
- D. Menu Security

Answer: C

---

**QUESTION 86**

The finance manager has requested the creation of a request set. The intention of the request set is to load GL journals from an external system. All the concurrent programs to be used by the set have been developed. The set includes a combination of custom and standard programs. The finance department is currently running the programs individually and there have been issues. The purpose of the set is to standardize the submission process.

The first stage of the set should execute a concurrent program to load the flat file containing the interface records into an interface table. The user should be required to enter the path and file name when submitting the request set.

If the first stage is successful, the set should execute the second stage, which is a concurrent program to pre-validate the contents of the interface table, process them, and

put them into GL Interface. This concurrent program currently has a parameter to limit the execution to a certain set of data, but for this particular request set the finance manager does not want the person submitting the report to set or see the parameter. If the pre-validation program in the second stage completes normally, the set should start the third stage which runs journal import. The entire set of parameters for journal import should be defaulted in the report set definition to appropriate values. They should be visible to the user submitting the request, but they should not have the ability to change them.

If the pre-validation program fails the set should start the fourth stage, which runs the pre-validation program's exception report. The exception report normally has no parameters but for the execution of this set the finance manager would like to add a parameter to limit the exception report to the list of exceptions for this run of the report set.

After the exception report is finished the report set should terminate. After journal import is completed in stage 3, the report set should submit stage 5, which executes one of the journal entry detail reports. This report has the set of books as a parameter. This should default to the profile option for the user's responsibility. If the profile option is not set for the responsibility the parameter should be displayed and set by the user running the set. If the profile option is set for the responsibility then the parameter should be hidden from the user.

Analyze the above requirements and identify two requirements that are problematic to implement by performing the setups required to make the request set. (Choose two.)

- A. The user would not be permitted to enter the file name to load in stage 1 because parameter values can only be assigned in the set definition.
- B. Stage 2 cannot optionally start stage 3 or stage 5 dependent on the outcome of stage 2.
- C. The parameter to limit the output of the pre-validation exception report does not exist. Therefore, the report set cannot use that in the set setup.
- D. The journal entry detail report cannot hide the set of books parameter from the user on the basis of whether or not the default value contains a value or is null.
- E. The request set cannot be configured to default the parameters for Journal Import and prevent users from changing them when the set is submitted.

Answer: C,D

---

**QUESTION 87**

You have a requirement to audit all your users' sign-ons, the responsibilities that they select, and the forms that they access. To set up this implementation, you should set the "Sign-On:Audit Level" profile at the site level to \_\_\_\_\_.

- A. Form
- B. User
- C. None
- D. Responsibility

Answer: A

---

**QUESTION 88**

In order to update a subscription, what value do you need to set the Customization level to?

- A. User
- B. Limit
- C. System
- D. Core
- E. Source Type

Answer: A

---

**QUESTION 89**

Your company is using Oracle Application Manager (OAM). Your manager asked you to set up an alert, which should trigger whenever Forms Runaway Processes occur on the system. Which are the three thresholds that you need to configure, so that whenever a forms session exceeds any of these thresholds, the system would post an alert? (Choose three.)

- A. maximum memory size
- B. maximum CPU percent
- C. maximum number of transactions
- D. maximum number of form sessions
- E. maximum number of users
- F. maximum duration

Answer: A,B,F

---

**QUESTION 90**

Which two components are required to create a responsibility? (Choose two.)

- A. User Assignments
- B. Request Group
- C. Menu
- D. Data Group
- E. Exclusions

Answer: C,D

---

**QUESTION 91**

Which type of event message does Business Events use to enqueue event messages to external systems?

- A. WF\_EVENT\_T
- B. Binary

- C. any data type format
- D. ASCII

Answer: A

---

**QUESTION 92**

Which statement most accurately reflects how the list of concurrent programs displayed in standard report submission is compiled?

- A. all concurrent programs associated with the application that is associated to the current responsibility
- B. all concurrent programs associated with the report security group that is associated with your current responsibility
- C. all concurrent programs that are associated with the current responsibility and which are not overridden by securing attributes
- D. all concurrent programs associated with the current responsibility unless they are overridden by a parameter on the function that opened standard report submission

Answer: B

---

**QUESTION 93**

Which two statements are true regarding request set stages? (Choose two)

- A. Stages are executed by the concurrent manager on the basis of how they are linked, and not by the sequence number assigned to them.
- B. Stage status is treated as Error if at least one request completes with Error.
- C. Stages in a request set can be run in parallel.
- D. Stages can complete with two statuses, Complete or Error.

Answer: A,B

---

**QUESTION 94**

Which two requirements can be implemented by leveraging parameters in the request set? (Choose two.)

- A. Define additional parameters to the concurrent program.
- B. Default the parameter to the value of a SQL statement and hide the value from the user.
- C. Optionally allow the user to see or modify the value of a defaulted parameter.
- D. Default a parameter to the value of a profile option, and optionally either hide the parameter if the profile option has a value or display the parameter if the profile option is empty.

Answer: B,C

---

**QUESTION 95**

You are working on 11.5.10.x OA Framework personalizations. Which four statements are true? (Choose four.)

- A. By using personalizations, you can add new business logic.
- B. By using personalizations you can extend/override existing business logic.
- C. Both Admin-level and User-level personalizations may be extracted from one database and loaded into another.
- D. By using personalizations, you can add a new region to an existing page.
- E. All personalizations you make through the OA Personalization Framework overwrite the existing base product UI.
- F. By using personalizations, you can build new pages.
- G. OA Framework personalizations are stored as meta data in the database.
- H. Regions and items that have been created programmatically in the page logic cannot be personalized.
- I. The application developer can explicitly disable personalizations for a page, region or item.

Answer: C,G,H,I

---

**QUESTION 96**

Which three are correct responses of the Inbound Notification Mailer to process the response Messages? (Choose three.)

- A. If the message contains the NID line, but for the wrong node, the Inbound Notification Mailer leaves the message in the Inbox.
- B. If the message does not contain the NID line, the Inbound Notification Mailer moves the message to the discard folder and sends a warning message to the sender of the message.
- C. If the message does not contain the NID line, the Inbound Notification Mailer moves the message to the Inbox.
- D. If the message contains the NID line, but for the wrong node, the Inbound Notification Mailer leaves the message in the discard folder.
- E. If the notification exists, but is closed or cancelled, the Inbound Notification Mailer leaves the message in the discard folder and sends a closed or cancelled message to the recipient role.

Answer: A,B,E

---

**QUESTION 97**

What is the correct explanation of why responsibilities can access both Applications and Self Service Applications functions, given that you must designate the responsibility as either an Applications or Self Service Applications responsibility upon its definition?

- A. Data groups contain mappings for web and form based applications.
- B. Request groups contain programs for any application.

- C. Securing options control this behavior.
- D. Profile options control this behavior.
- E. Menus may contain both forms and functions.

Answer: E

---

**QUESTION 98**

Identify the statement that most accurately represents how parameters are linked to concurrent programs.

- A. Parameters are linked to the concurrent program executable by dynamically creating a descriptive flexfield for each concurrent program. The parameters are actually descriptive flex field segments. The parameter values are linked to the request by de-normalizing the parameters as properties of the request.
- B. Parameters are linked to the concurrent program definition by dynamically creating a descriptive flex field for each concurrent program. The parameters are actually descriptive flex field segments. The parameter values are linked to the request in the database in a child table.
- C. Parameters are linked to the concurrent program executable by dynamically creating a descriptive flexfield for each concurrent program. The parameters are actually descriptive flex field segments. The parameter values are linked to the request in the database in a child table.
- D. Parameters are linked to the concurrent program definition by dynamically creating a descriptive flexfield for each concurrent program. The parameters are actually descriptive flex field segments. The parameter values are linked to the request by de-normalizing the parameters as properties of the request.

Answer: D

---

**QUESTION 99**

At your company, the Printer profile option has been set to printer1 at the site level, printer2 at the Oracle Payables application level, and printer3 at the user level for Joe, who is the payables application user. Your Accounts Payable department recently purchased a printer, printer4, and you want all the reports from that department to be printed using this new printer. You changed the Printer profile option for Oracle Payables application level to printer4. Joe logs in and submits the report by using the responsibility associated with Oracle Payables. The default printer for that report is \_\_\_\_\_.

- A. printer3
- B. printer4
- C. printer1
- D. printer2

Answer: A

---

**QUESTION 100**

Consider a menu entry containing both a submenu and a function definition. Which three statements are true? (Choose three.)

- A. If the function is executable then the submenu will not appear on the navigation tree.
- B. If the function is executable then the submenu will appear on the navigation tree.
- C. If the function is executable then the submenu is treated as content to be executed by function.
- D. If the function is not executable then it is treated as a tag for enforcing exclusion rules.
- E. If the function is not executable then the submenu is treated as content to be executed by function.

Answer: A,C,D

---

**QUESTION 101**

You are using the System Profile Option screen to initialize the value of a profile option at several levels. You select the levels, the level context, and the profile option to change. You are able to default the value for the site, application and responsibility, but you are unable to change the value for the user level. Which statement explains this situation?

- A. The responsibility secures the ability to control profile options.
- B. The application prevents the changing of canned profile options at that level.
- C. Another profile option toggles changing of profile options at the user level by the system administrator and is currently false.
- D. Only users are permitted to set their profile option values by using the personal profile settings.
- E. The profile option definition prohibits changing the value of the profile option at that level.

Answer: E

---

**QUESTION 102**

A user has suspended a workflow activity. What are the four valid options for an administrator? (Choose four.)

- A. retry the suspended workflow after resuming the workflow
- B. resume the root process; all the subprocesses of the workflow are also resumed
- C. cancel the suspended workflow activity without retrying
- D. force a workflow transition to the next activity by using the Skip button after resuming the suspended workflow
- E. force a workflow transition to the next activity by using the Skip button without resuming the workflow
- F. retry the suspended workflow activity without resuming it

Answer: A,B,C,D

---

**QUESTION 103**

You have just submitted a concurrent request. The concurrent program has incompatibilities. The concurrent program spawns a child concurrent program. The concurrent request would not be placed on hold. You decide to kill the concurrent request after the sub program has completed, but before the main program is completed. Identify which statement accurately reflects, in the proper sequence, the phases and statuses that the concurrent request would have.

- A. Pending - Standby, Pending - Normal, Running - Normal, Running - Terminating, and Completed - Terminated
- B. Pending - Standby, Pending - Normal, Running - Normal, Running - Terminating, and Completed - Normal
- C. Pending - Normal, Pending - Standby, Pending - Normal, Running - Normal, Running - Paused, Running - Normal, Running - Terminating, and Completed - Terminated
- D. Pending - Standby, Pending - Normal, Running - Normal, Running - Paused, Running - Normal, Running - Terminating, and Completed - Normal
- E. Pending - Standby, Pending - Normal, Running - Normal, Running - Paused, Running - Normal, Running - Terminating, and Completed - Terminated

Answer: E

---

**QUESTION 104**

You are creating a new function.

The function should be available in Normal and Maintenance modes.

The function can be run with incomplete or inconsistent data.

What should be the value of the Maintenance Mode Support column?

- A. Dual
- B. None
- C. Fuzzy
- D. Maintenance

Answer: C

---

**QUESTION 105**

Which component of the user creation screen identifies the access of a user?

- A. Menu
- B. Function
- C. Responsibility
- D. Role

Answer: C

---

**QUESTION 106**

A \_\_\_\_\_ is a collection of reports and concurrent programs that is used to implement

security at the responsibility level.

- A. request group
- B. request set
- C. concurrent group
- D. responsibility access group

Answer: A

---

**QUESTION 107**

The Oracle Workflow notification system can send e-mail notifications to \_\_\_\_\_.

- A. users on Oracle-based e-mail systems only
- B. only 11i Oracle Applications users using a standards-based, internet-accessible e-mail system
- C. only 11i Oracle Applications users using Oracle-based e-mail systems
- D. users with any standards-based, internet-accessible e-mail system

Answer: D

---

**QUESTION 108**

You are creating a workflow. Which four activities can you perform using Oracle Workflow Builder's navigation tree? (Choose four.)

- A. control workflow processes
- B. define lookup codes
- C. upload and download data stores
- D. define functions
- E. define processes and subprocesses
- F. define notifications

Answer: B,D,E,F

---

**QUESTION 109**

Which component of Event Manager processes a business event when it is raised by a local or external application through Advance Queuing?

- A. Workflow Loader
- B. Workflow Manager
- C. Workflow Engine
- D. Event Dispatcher
- E. Notification System

Answer: D

---

**QUESTION 110**

Which correctly describes the tiers of the Oracle Workflow architecture?

- A. Oracle Database tier and Application server tier only
- B. Oracle Database tier, Application server tier, Development client tier, and End-user client tier
- C. Oracle Database tier, Application server tier, and End-user client tier only
- D. Oracle Database tier, Application server tier, and Development client tier only

Answer: B

---

**QUESTION 111**

Which three statements are true with respect to Role Based Access Control (RBAC) and Role Inheritance in Oracle User Management? (Choose three.)

- A. RBAC removes the existing link the need for creating separate responsibilities for combinations of job functions.
- B. A role cannot have multiple responsibilities
- C. Permissions associated with a role are not inherited by all its superior roles.
- D. A role can be configured to consolidate the responsibilities, permissions, function security and data security policies that users require to be able to perform a specific function.
- E. Permissions associated with a role are inherited by all its superior roles and the individuals to which any of these roles are assigned.
- F. A user can have only one role defined.

Answer: A,D,E

---

**QUESTION 112**

The custom Journal Entry upload program has just been submitted. This program is incompatible with itself and is not associated with a specific concurrent manager.

A user has just submitted a concurrent request to execute this concurrent program.

Because of the incompatibility the request is created with the phase and status code of Pending and Standby, respectively.

Identify the statement that correctly describes the interaction of the concurrent managers.

A. The Conflict Resolution Manager begins processing at its next interval. It determines that the Journal Entry upload program has just been submitted because of the phase and status code and determines if another instance of the Journal Entry Upload program is currently running.

Seeing none it sets the phase and status to Pending and Normal, respectively, and assigns the job to the Standard Manager.

The Standard Manager begins processing at its next interval and executes the Journal Entry Upload program.

B. The Internal Manager begins processing at its next interval. It determines that the Journal Entry upload program has just been submitted and assigns the job to the Conflict

Resolution Manager because the phase and status are Pending and Standby, respectively. The Conflict Resolution Manager begins processing at its next interval and determines if another instance of the Journal Entry Upload program is currently running. Seeing none it sets the phase and status to Pending and Normal, respectively, and executes the Journal Entry Upload program.

C. The Internal Manager begins processing at its next interval. It determines that the Journal Entry upload program has just been submitted and assigns the job to the Conflict Resolution Manager because the phase and status are Pending and Standby, respectively. The Conflict Resolution Manager begins processing at its next interval and determines if another instance of the Journal Entry Upload program is currently running. Seeing none it sets the phase and status to Pending and Normal, respectively, and assigns the job to the Standard Manager.

The Standard Manager begins processing at its next interval and executes the Journal Entry Upload program.

D. The Internal Manager begins processing at its next interval. It determines that the Journal Entry upload program has just been submitted and starts the Conflict Resolution Manager directly because the phase and status code are Pending and Standby, respectively.

The Conflict Resolution Manager determines if another instance of the Journal Entry Upload program is currently running. Seeing none it sets the phase and status code to Pending and Normal, respectively, and assigns the job to the Standard Manager.

The Standard Manager begins processing at its next interval and executes the Journal Entry Upload program.

E. The Internal Manager begins processing at its next interval. It determines that the Journal Entry upload program has just been submitted and starts the Conflict Resolution Manager directly because the phase and status code are Pending and Standby, respectively.

The Conflict Resolution Manager determines if another instance of the Journal Entry Upload program is currently running. Seeing none it sets the phase and status code to Pending and Normal, respectively, and executes the Standard Manager directly.

The Standard Manager begins processing and executes the Journal Entry Upload program.

Answer: C

---

**QUESTION 113**

You have a requirement to audit all your users' sign-ons, the responsibilities that they select, and the forms that they access. To set up this implementation, you should set the "Sign-On:Audit Level" profile at the site level to \_\_\_\_\_.

- A. User
- B. Form
- C. Responsibility
- D. None

Answer: B

---

**QUESTION 114**

You are creating a new function.

The function should be available in Normal and Maintenance modes.

The function can be run with incomplete or inconsistent data.

What should be the value of the Maintenance Mode Support column?

- A. Dual
- B. Maintenance
- C. Fuzzy
- D. None

Answer: C

---

**QUESTION 115**

As a system administrator, you are requested to create a new responsibility called "Purchasing Buyer," which is identical to "Purchasing Manager" except that requisitions functionality is given only to the purchasing manager. You are able to satisfy the requirement using any of the options shown. Identify the option that is aligned with best practices.

- A. by creating a new responsibility and using the menu exclusion feature
- B. by not creating a new responsibility and menu, but using exclusion features for both
- C. by creating a new responsibility and a new menu
- D. by creating a new menu, but using the responsibility exclusion feature

Answer: A

---

**QUESTION 116**

The finance director just submitted an account analysis report and would like to know to which printer it will print. He did not specify the name of the printer when he submitted the request, he just accepted the default. He is using the General Ledger SuperUser responsibility.

You access the System Profile Option screen and select the value of the printer profile option for the site, the General Ledger Application, the General Ledger SuperUser responsibility, and the Finance Director.

You notice that the profile option at the site level does not contain a value.

The profile option at the application level is set to printer1.

The profile option at the responsibility level is set to printer2.

The profile option for the finance director's user account is printer3.

To which printer will his job print?

- A. It would print using printer1 because of the setting at the application level.
- B. It would print using printer2 because of the setting at the responsibility level.
- C. This information is inconclusive because it does not identify the profile option value that the system would choose.

- D. It would print using printer3 because of the setting at the user level.
- E. It would not print because the default value at the site level is null.

Answer: D

---

**QUESTION 117**

Which property drives the hierarchical display of items on the Navigator?

- A. Menu Sequence
- B. Menu Name
- C. Menu Prompt
- D. Menu Type

Answer: A

---

**QUESTION 118**

The custom Journal Entry upload program has just been submitted. This program is incompatible with itself and is not associated with a specific concurrent manager.

A user has just submitted a concurrent request to execute this concurrent program.

Because of the incompatibility the request is created with the phase and status code of Pending and Standby, respectively.

Identify the statement that correctly describes the interaction of the concurrent managers.

A. The Internal Manager begins processing at its next interval. It determines that the Journal Entry upload program has just been submitted and starts the Conflict Resolution Manager directly because the phase and status code are Pending and Standby, respectively.

The Conflict Resolution Manager determines if another instance of the Journal Entry Upload program is currently running. Seeing none it sets the phase and status code to Pending and Normal, respectively, and executes the Standard Manager directly.

The Standard Manager begins processing and executes the Journal Entry Upload program.

B. The Conflict Resolution Manager begins processing at its next interval. It determines that the Journal Entry upload program has just been submitted because of the phase and status code and determines if another instance of the Journal Entry Upload program is currently running.

Seeing none it sets the phase and status to Pending and Normal, respectively, and assigns the job to the Standard Manager.

The Standard Manager begins processing at its next interval and executes the Journal Entry Upload program.

C. The Internal Manager begins processing at its next interval. It determines that the Journal Entry upload program has just been submitted and assigns the job to the Conflict Resolution Manager because the phase and status are Pending and Standby, respectively. The Conflict Resolution Manager begins processing at its next interval and determines if another instance of the Journal Entry Upload program is currently running. Seeing none it sets the phase and status to Pending and Normal, respectively, and executes the Journal

Entry Upload program.

D. The Internal Manager begins processing at its next interval. It determines that the Journal Entry upload program has just been submitted and assigns the job to the Conflict Resolution Manager because the phase and status are Pending and Standby, respectively. The Conflict Resolution Manager begins processing at its next interval and determines if another instance of the Journal Entry Upload program is currently running. Seeing none it sets the phase and status to Pending and Normal, respectively, and assigns the job to the Standard Manager.

The Standard Manager begins processing at its next interval and executes the Journal Entry Upload program.

E. The Internal Manager begins processing at its next interval. It determines that the Journal Entry upload program has just been submitted and starts the Conflict Resolution Manager directly because the phase and status code are Pending and Standby, respectively.

The Conflict Resolution Manager determines if another instance of the Journal Entry Upload program is currently running. Seeing none it sets the phase and status code to Pending and Normal, respectively, and assigns the job to the Standard Manager.

The Standard Manager begins processing at its next interval and executes the Journal Entry Upload program.

Answer: D

---

**QUESTION 119**

Which three statements are true about the process of creating a new user through Oracle User Management? (Choose Three).

- A. Username can be changed when you log in for the first time.
- B. Email Address is a mandatory column.
- C. A user should be assigned to at least one role.
- D. Every user has to be associated with an organization.
- E. Password is always system generated.

Answer: B,C,D

---

**QUESTION 120**

Which three should be set during the testing of any workflow process? (Choose three.)

- A. the name of the process to test
- B. an optional process owner
- C. a global workflow preference
- D. a unique item key for the process instance
- E. the item type name
- F. a lookup type node

Answer: A,D,E

**QUESTION 121**

At Site1 and Site2, for Order entry the ORDER ENTRY function is used, and for pick release the PICK RELEASE function is used.

PICKER needs to access both the ORDER ENTRY function and the PICK RELEASE function.

To implement this requirement, the system administrator performed these steps:

1. At Site1, defined the Order entry responsibility to access the ORDER ENTRY function and the Pick release responsibility to access the PICK RELEASE function.
2. Created the PICKER role and assigned Order entry responsibility and Pick release responsibility.
3. Granted the PICKER role to the user.
4. At Site2, defined the Order management responsibility to access the ORDER ENTRY function and the PICK RELEASE function.
5. Created the PICKER role and assigned the Order management responsibility.
6. Granted the PICKER role to the user.

- A. The requirement was implemented successfully at Site1 but a problem was encountered with the Site2 implementation.
- B. The requirement was implemented successfully at Site2 but a problem was encountered with the Site1 implementation.
- C. The requirement was implemented successfully at Site1 and Site2.
- D. The requirement was NOT implemented successfully at either Site1 or Site2.

Answer: C

---

**QUESTION 122**

Which three are source types of subscriptions? (Choose three.)

- A. Local
- B. Error
- C. Internal
- D. Agent
- E. External

Answer: A,B,E

---

**QUESTION 123**

Which two components are required to create a responsibility? (Choose two.)

- A. Menu
- B. User Assignments
- C. Exclusions
- D. Request Group
- E. Data Group

Answer: A,E

---

**QUESTION 124**

Which two statements are true about a Work Item with "Open" Notification? (Choose two.)

- A. The Work Item is eligible for a Temporary purge.
- B. The Work Item is eligible for a Permanent purge.
- C. The Work Item is not complete because it still has "Open" Notification.
- D. The Work Item is eligible for both Temporary and Permanent purge.
- E. The Work Item is not eligible for Purge.

Answer: C,E

---

**QUESTION 125**

You are planning to run the Workflow XML loader. Which four modes are available for your use? (Choose four.)

- A. -u: Normal upload mode
- B. -de: Exact download mode
- C. -d: Normal download mode
- D. -uf: Force upload mode
- E. -uo: Override upload mode
- F. -do: Override download mode

Answer: A,B,C,D

---

**QUESTION 126**

Which configuration method should be avoided when configuring the Notification Mailer?

- A. associating multiple outbound mailers and multiple inbound mailers with each other by assigning the same mailer node name
- B. associating inbound-only mailer with at least one outbound mailer with the same node name
- C. associating outbound mailer and inbound mailer with each other by assigning the same mailer node name
- D. associating outbound mailers with the same mailer node without creating a corresponding inbound mailer
- E. associating multiple outbound mailers and a single inbound mailer with each other by assigning the same mailer node name

Answer: A

---

**QUESTION 127**

Identify the objects can be monitored as part of the performance tab in the applications dashboard? (Choose three.)

- A. Workflow email Sent
- B. Services Up
- C. Service processes
- D. System Alerts
- E. Forms Sessions

Answer: B,C,E

---

**QUESTION 128**

Analyze the submission schedules the users wish to use. Which user would have difficulty in submitting his or her program using his or her preferred schedule?

- A. User 4 wants to schedule his or her program to run just once, but at the end of the current year.
- B. User 5 wants to schedule his or her program to run 25 times a day.
- C. User 3 wants to schedule his or her program to run on the first and third Tuesdays of each month.
- D. User 1 wants to schedule his or her concurrent program to run on the 15th and the last day of every month.
- E. User 2 wants to schedule his or her program to run every 25 minutes.

Answer: C

---

**QUESTION 129**

The accounting department wants to implement a mechanism that downloads account balances to the data warehouse for decision-support processing. The data warehouse is in an Oracle-centric warehouse in another database instance.

The requirements dictate that the program must:

- 1) Execute daily at 11pm
- 2) Send a notification to the business analyst indicating the status of the process
- 3) Record statistics of what was transferred for tracking and tie out purposes
- 4) Execute an Oracle Discoverer program to display the results

Which of the above requirements CANNOT be met by submitting a concurrent request, and why?

- A. the statistics requirement, because there is no mechanism through which run time statistics can be presented to the user.
- B. the resubmission of the concurrent request, because a program cannot be re-submitted at daily intervals.
- C. the notification requirement, because the concurrent manager cannot perform any processing functions when a request is completed.
- D. the notification requirement, because a concurrent request cannot initiate a workflow notification.
- E. the download requirement, because a concurrent request can only read data in, or write data to, the applications database.

F. the Discoverer requirement, because Oracle Discoverer functions cannot be executed as a concurrent request.

Answer: F

---

**QUESTION 130**

XYZ Corporation has decided to assign only one account representative to each customer, so that each customer has a single point of contact. To maintain confidentiality of information, the account representatives should have access to only their own customers. Which tasks must the system administrator perform to meet the above requirement using Oracle User Management? (Choose all that apply.)

- A. Create a Role.
- B. Create a Grant.
- C. Create an Object instance.
- D. Create Data group.

Answer: A,B,C

---

**QUESTION 131**

When using Workflow Monitor in stand-alone Oracle Workflow, the Detail Tab window provides information about selected processes or activities. The rows preceded by an asterisk (\*) or values shown in bold parentheses ( ) appear only when the monitor is run in \_\_\_\_\_ mode.

- A. Test
- B. Public
- C. User
- D. Admin
- E. Run

Answer: D

---

**QUESTION 132**

ABC Company has the following requirements:

In the Purchasing section, the primary job functions are Buyer, Buyer Approver and Buyer Manager.

Buyer need tasks B1, B2, B3, and B4.

Buyer Approver need tasks B5, B6, B7, and B8.

Buyer Manager need all tasks B1 through B8, inclusive.

Which is the best solution to meet the requirement using Oracle User Management?

- A. Create a responsibility RB for Buyer with tasks B1, B2, B3, and B4.  
Create a responsibility RBA for Buyer Approver with tasks B5, B6, B7, and B8.  
Create role R1 using the RB responsibility and, role R2 using the RBA responsibility.  
Create role R3 using role inheritance, and use role R1 and role R2.

- B. Create a responsibility RB for Buyer with tasks B1, B2, B3, and B4.  
Create a responsibility RBA for Buyer Approver with tasks B5, B6, B7, and B8.  
Create a responsibility RBM with tasks B1 through B8, inclusive.  
Create role R1 using the RB responsibility.  
Create role R2 using the RBA responsibility.  
Create role R3 using the RBM responsibility.
- C. Create a responsibility RBM for Buyer Manager with tasks B1 through B8, inclusive.  
Create a responsibility RBA for Buyer Approver with tasks B5, B6, B7, and B8.  
Create responsibility RB for Buyer with functions B1, B2, B3, B4, B5, B6, B7, and B8.  
Create role1 using the RB responsibility.  
Create role R2 using the RBA responsibility.  
Create role R3 using the RBM responsibility.
- D. None of the above would meet the requirement.

Answer: A

---

**QUESTION 133**

Can you set an event message to become available for a future date?

- A. Yes, but you have to wait until the future date to propagate the event message.  
B. Yes, but you need to set the event to not send the message until the future date.  
C. No, once an event message is created, it becomes available.  
D. Yes, to do this you set the Send\_Date attribute of the message to the future date.

Answer: D

---

**QUESTION 134**

You are the system administrator for an applications environment that uses Oracle General Ledger, Oracle Receivables, and Oracle Payables. You also have a custom application in your architecture, registered as ABC Custom Application, to house all your extensions. You have copied one of the standard Oracle Payables forms and customized it. The customized copy of the standard form is associated with the ABC Custom Application. The purpose of this form is to allow the General Ledger users to review a scaled down version of the payables data. To achieve this, the customized version of the form has been added to the menu structure for the Financial Analyst responsibilities. The Financial Analyst responsibility is associated with the Oracle General Ledger application. Which application assignment in the data group would the system evaluate, and why, when the users execute this custom form? (Select the assignment and the reason.)

- A. Oracle General Ledger, because GL users use the module.  
B. ABC Custom Application, because this is a custom program.  
C. Oracle General Ledger, because Financial Analyst is associated with Oracle General Ledger.  
D. Oracle Payables, because this is a copy of a Payables module.  
E. ABC Custom Application, because the custom form is associated with ABC Custom Application.

Answer: C

---

**QUESTION 135**

Which three statements are true about deferring a subscription process? (Choose three.)

- A. Deferring a process enables costly subscription processes to be executed at a later time.
- B. Event manager defers subscriptions with the Status property value set to Deferred.
- C. Deferring a process causes the subscription process to be executed by the workflow background process.
- D. Event manager defers subscriptions with a phase value of 0.
- E. Deferring a process returns control to the calling application more quickly.

Answer: A,C,E

---

**QUESTION 136**

Identify two instances in applications where the default value can be defaulted to the current value of a profile option. (Choose two.)

- A. Other profile options
- B. Report Parameters
- C. Flexfield Segments
- D. Internal Form Variables

Answer: B,D

---

**QUESTION 137**

In the context of system administrator, "Grants" will authorize a user to \_\_\_\_.

- A. perform a specified action (function)
- B. access to login to an application
- C. access to another user
- D. access to a responsibility

Answer: A

---

**QUESTION 138**

Identify three conditions under which you would be permitted to apply or release a hold on a concurrent request from the View My Requests screen. (Choose three.)

- A. The request is being evaluated by the Conflict Resolution Manager.
- B. It was submitted under your responsibility.
- C. You are the requester.
- D. The request is not started.

Answer: A,C,D

---

**QUESTION 139**

Exhibit:

Example:				
Display Sequence	Name	Success	Warning	Error
1	Stage-A	Stage-B	Stage-B	
2	Stage-B	Stage-C	Stage-D	
3	Stage-C			
4	Stage-D			

A request set has four stages: Stage A, Stage B, Stage C, and Stage D. The Exhibit explains the linking of the stages in the set. All the requests defined under these stages have the "Use the Allow Stage Function to Use This Programs Results" check box selected.

Which two statements are true about stage execution? (Choose two)

- A. In any situation, Stage C and Stage D are mutually exclusive.
- B. If Stage A and Stage B are successfully completed, then Stage D is not run.
- C. Stage D is run when Stage B completes with a warning, or when Stage C completes.
- D. If an error occurs during the execution of Stage A, the execution continues to Stage B automatically.

Answer: A,B

---

**QUESTION 140**

Which two options represent valid levels to which the value of a profile option may be assigned? (Choose two.)

- A. Database Server
- B. Inventory Organization
- C. Operating Unit
- D. Middle Tier Server
- E. Current Session

Answer: C,D

---

**QUESTION 141**

At your company, Signon Audit Forms belongs to the request type Signon Audit Reports. Joe was asked to define concurrent manager to read only the Signon Audit Forms program requests and concurrently process four programs during the day, but nine programs from 4 p.m. to 5 p.m.

To implement this requirement, Joe defined a specialization rule and two work shifts as shown below, and assigned the task to the newly created concurrent manager.

Specialization Rule

Include

Program - Signon Audit Forms

Exclude

Request Type - Signon Audit Reports

Work shifts

DAY WORK SHIFT (from 9:00 a.m. to 5:00 p.m. with four target processes)

SPECIAL WORK SHIFT (from 4:00 p.m. to 5:00 p.m. with five target processes)

Which statement is true?

- A. Joe successfully implements the requirement.
- B. Both the specialization rule and the definition of work shifts need correction.
- C. The definition of work shifts is correct but there is a flaw in the specialization rule.
- D. The specialization rule is defined correctly but there is a flaw in the definition of work shifts.

Answer: B

---

**QUESTION 142**

Identify three actions users can perform when submitting a request set. (Choose three.)

- A. Users can schedule the request set to run periodically.
- B. Users can specify the print options for the programs.
- C. Users can enter the values to the parameters for the concurrent programs.
- D. Users can decide whether the programs can run in parallel or sequential.

Answer: A,B,C

---

**QUESTION 143**

One of the Administrators indicated that even 10 minutes after starting the Standard Manager, it is still not running any requests, and the pending jobs are piling up in the queue. The administrator has requested for your help. You are looking at the Administer Concurrent Manager screen, and you notice the following: For the Internal Manager the number of actual processes is 0, target processes is 0, and pending requests is 1. For the Standard Manager the number of actual processes is 0, target processes is 3, and pending requests is 56. For the Conflict Resolution Manager the number of actual processes is 0, target processes is 0, and pending requests is 1. Analyze the state of the concurrent managers and identify the solution for resolving this issue.

- A. The Internal Manager is not running, it must be started before the request to start the Standard Manager can be executed. Enter the operating system and start the Internal Manager.
- B. The Internal Manager is not running, it must be started before the request to start the Standard Manager can be executed. Place the cursor on the Internal Manager record and

press the Restart button.

C. The Conflict Resolution Manager is not running, it must be started before the request to start the Standard Manager can be executed. Place the cursor on the Conflict Resolution Manager record and press the Restart button.

Answer: A

---

**QUESTION 144**

Which two types of objects may be added as items to a menu? (Choose two.)

- A. Function
- B. Forms
- C. Submenu
- D. Request Set
- E. Web Services

Answer: A,C

---

**QUESTION 145**

Your company uses Oracle Application Manager (OAM). You are asked to configure the OAM dashboard. As part of the configuration, which five actions should you perform? (Choose five.)

- A. Enable or disable monitoring of individual system activities' metrics (such as form sessions, database sessions) in the application dashboard.
- B. Configure system alerts to trigger when metrics for given business activities (such as open receivables, on-hand inventory value, sales, open orders, forecast, and budget) meet a specific condition.
- C. Configure system alerts to trigger when a given system service (such as PL/SQL Agent, Servlet Agent) has a specific status.
- D. Configure the collection of dashboard metrics for your company's business activities (such as open receivables, on-hand inventory value, sales, open orders, forecast, and budget).
- E. Enable or disable monitoring of individual system services (such as PL/SQL Agent, Servlet Agent) in the application dashboard.
- F. Configure the collection of dashboard metrics for system activities (such as form sessions, database sessions).
- G. Configure system alerts to trigger when a given system activity's metrics (such as form sessions, database sessions) meet a specific condition.
- H. Enable or disable monitoring of individual business activities' metrics (such as open receivables, on-hand inventory value, sales, open orders, forecast, and budget ) in the application dashboard.

Answer: A,C,E,F,G

---

**QUESTION 146**

Identify two applications objects that are linked together by the Data Group. (Choose two.)

- A. Functions
- B. Application
- C. Oracle ID
- D. Forms
- E. Reports

Answer: B,C

---

**QUESTION 147**

You have a case in which there are multiple subscriptions subscribed to the same Business Event. How does Event Dispatcher determine which subscriptions to execute first?

- A. Event Dispatcher executes multiple subscriptions at the same time.
- B. Event Dispatcher executes the subscriptions one at a time, in the order of the phase value property.
- C. Event Dispatcher executes the subscriptions on a first-come, first-served basis.

Answer: B

---

**QUESTION 148**

You have just submitted a concurrent request. The concurrent program is incompatible with itself. The request would not be placed on hold. The request would spawn a child request. The request was submitted to print two copies but a printer was not specified. Analyze these facts and select the statement that correctly describes the phase and status codes, in correct order, that the request would have-from submission to completion.

- A. Pending - Normal, Pending Standby, Pending - Normal, Running Normal, Running - Paused, Running Normal, and Completed Warning
- B. Pending - Normal, Pending - Standby, Pending - Normal, Running Normal, Running - Paused, Running Normal, and Completed Normal
- C. Pending - Standby, Pending - Normal, Running Normal, Running - Paused, Running Normal, and Completed - Warning
- D. Pending - Standby, Pending - Normal, Running Normal, Running - Paused, Running Normal, and Completed Normal
- E. Pending - Normal, Pending - Standby, Pending - Normal, Running Normal, Running - Paused, Running Normal, and Completed Error
- F. Pending - Standby, Pending - Normal, Running Normal, Running - Paused, Running Normal, and Completed Error

Answer: C

---

**QUESTION 149**

What is true while adding form function to an existing menu?

- A. The sequence number can be same if the requirement is to display the new function immediately after an existing function.
- B. The sequence number has to be unique for that menu.
- C. The sequence number is not mandatory so it does not matter.
- D. The sequence number has to be always the highest number defined in the menu.

Answer: B

---

**QUESTION 150**

Your company bought three of the same model of HP LaserJet III printers. Oracle applications are running on a UNIX operating system. Users at your site can print reports in Landscape, Portrait, or Landwide formats. Your manager asks you to configure all the new printers for character mode printing from Oracle applications. To successfully implement the requirement, what do you need?

- A. one printer type, three print styles, and three print drivers
- B. one printer type, three print styles, and one print driver
- C. three printer types, nine print styles, and nine print drivers
- D. three printer types, three print styles, and three print drivers
- E. three printer types, three print styles, and one print driver
- F. three printer types, one print style, and three print drivers
- G. one printer type, one print style, and three print drivers
- H. three printer types, three print styles, and nine print drivers

Answer: A

---

**QUESTION 151**

ABC Company has the following requirements:

In the Purchasing section, the primary job functions are Buyer, Buyer Approver and Buyer Manager.

Buyer need tasks B1, B2, B3, and B4.

Buyer Approver need tasks B5, B6, B7, and B8.

Buyer Manager need all tasks B1 through B8, inclusive.

Which is the best solution to meet the requirement using Oracle User Management?

- A. Create a responsibility RB for Buyer with tasks B1, B2, B3, and B4.  
Create a responsibility RBA for Buyer Approver with tasks B5, B6, B7, and B8.  
Create role R1 using the RB responsibility and, role R2 using the RBA responsibility.  
Create role R3 using role inheritance, and use role R1 and role R2.
- B. None of the above would meet the requirement.
- C. Create a responsibility RB for Buyer with tasks B1, B2, B3, and B4.  
Create a responsibility RBA for Buyer Approver with tasks B5, B6, B7, and B8.  
Create a responsibility RBM with tasks B1 through B8, inclusive.

Create role R1 using the RB responsibility.  
Create role R2 using the RBA responsibility.  
Create role R3 using the RBM responsibility.  
D. Create a responsibility RBM for Buyer Manager with tasks B1 through B8, inclusive.  
Create a responsibility RBA for Buyer Approver with tasks B5, B6, B7, and B8.  
Create responsibility RB for Buyer with functions B1, B2, B3, B4, B5, B6, B7, and B8.  
Create role1 using the RB responsibility.  
Create role R2 using the RBA responsibility.  
Create role R3 using the RBM responsibility.

Answer: A

---

**QUESTION 152**

Which option describes the creation of event groups?

- A. Any stand-alone user can create event groups to which they are subscribed through the individual events.
- B. Stand-alone users can create event groups regardless of their workflow administrator status, but E-Business Suite users must be workflow administrators to perform this task.
- C. A user must be a workflow administrator to create event groups.
- D. Any E-Business Suite user can create event groups to which they are subscribed through the individual events.

Answer: C

---

**QUESTION 153**

Which option best defines the concept of Data Security, that is used by the administrators to control user access to data?

- A. specific data and functions applied to data
- B. data Hub
- C. database instance
- D. control user access to encrypted data.
- E. applications functionality

Answer: A

---

**QUESTION 154**

XYZ company decided to implement Oracle user management, to have a flexible and scalable system for managing access privileges and user accounts. The company wants to delegate some of the security and administrative tasks to local administrators.

The company wants to have three local administrators, one for each region (North America, Europe and Asia), to manage his/her region's user accounts which have the employee role only.

To implement the requirement, the system administrator did the following:

1. Created the North America admin role, Europe admin role and Asia admin role.

2. Granted the Role administration privilege for North America admin role, Europe admin role and Asia admin role to manage employee role.
3. Granted North America admin role to Jack, who is designated as the North America region local administrator.
4. Granted Europe admin role to Joe, who is designated as the Europe region local administrator.
5. Granted Asia admin role to John, who is designated as the Asia region local administrator.

Which statement is true? (Choose all that apply.)

- A. The requirement was successfully implemented.
- B. You can implement the requirement by using traditional functional security only.
- C. It is impossible to setup local administrators.
- D. The requirement was NOT successfully implemented.

Answer: D

---

**QUESTION 155**

Identify the correct concurrent request phase and status for a request being evaluated by the Conflict Resolution Manager.

- A. Pending - Normal
- B. Pending - Standby
- C. Running - Normal
- D. Pending - Scheduled
- E. Running - Paused

Answer: B

---

**QUESTION 156**

Your company uses Oracle User Management. In Department X there are four users and three managers. All managers need access to the same functions, and all users need access to the same functions. Managers access all functions accessed by the users, and also some additional functions. To implement the requirement, you need to define at least \_\_\_\_\_.

- A. 12 roles
- B. four roles
- C. two roles
- D. three roles
- E. one role

Answer: C

---

**QUESTION 157**

The accounting department wants to implement a mechanism that downloads account

balances to the data warehouse for decision-support processing. The data warehouse is in an Oracle-centric warehouse in another database instance.

The requirements dictate that the program must:

- 1) Execute daily at 11pm
- 2) Send a notification to the business analyst indicating the status of the process
- 3) Record statistics of what was transferred for tracking and tie out purposes
- 4) Execute an Oracle Discoverer program to display the results

Which of the above requirements CANNOT be met by submitting a concurrent request, and why?

- A. the statistics requirement, because there is no mechanism through which run time statistics can be presented to the user.
- B. the Discoverer requirement, because Oracle Discoverer functions cannot be executed as a concurrent request.
- C. the notification requirement, because the concurrent manager cannot perform any processing functions when a request is completed.
- D. the notification requirement, because a concurrent request cannot initiate a workflow notification.
- E. the download requirement, because a concurrent request can only read data in, or write data to, the applications database.
- F. the resubmission of the concurrent request, because a program cannot be re-submitted at daily intervals.

Answer: B

---

**QUESTION 158**

Identify three conditions under which a concurrent request may be permitted to be placed on hold. (Choose three.)

- A. Running - Paused
- B. Pending - Scheduled
- C. Inactive - No Manager
- D. Running - Normal
- E. Pending - Normal
- F. Inactive - On Hold

Answer: B,C,E

---

**QUESTION 159**

You modified the existing printer setup information (edit an existing Printer Type or Print Style, or Printer Driver) in Oracle applications. In order for the change to take effect, what needs to happen?

- A. The database server should be restarted.
- B. The application server should be restarted.
- C. The concurrent manager should be restarted.

- D. The application users need to log on again.
- E. The database server and application server should be restarted.

Answer: C

---

**QUESTION 160**

Choose the component of the E-Business suite that the Oracle Applications Manager integrates with to perform its function. (Chose four)

- A. Oracle Technology Network
- B. Workflow Manager
- C. User Security
- D. Cloning
- E. Metalink
- F. ADADMIN

Answer: B,C,D,F

---

**QUESTION 161**

Which two capabilities are provided by the Administrator Monitor? (Choose two.)

- A. reset the protection level of workflow objects stored in the database
- B. rewind the workflow to an earlier activity stage
- C. review activities
- D. purge a running process

Answer: B,C

---

**QUESTION 162**

Joe was asked to define a new concurrent manager to run data-intensive programs during the night, from 8 p.m. to 5 a.m. What must he define?

- A. at least three work-shifts
- B. at least one work-shift
- C. at least two work-shifts
- D. at least four work-shifts

Answer: C

---

**QUESTION 163**

A user reported issues while running concurrent requests and not generating log files. The DBA or the system administrator has reviewed the issue and concluded that the issue is related to insufficient space for creating log files, and the solution is to purge and release space. The IT Manager has agreed to purge concurrent requests, request log files and report output files from the operating system, except for the last two weeks. What is the next step for the DBA or the system administrator?

- A. run Purge Concurrent Request and/or Manager Data Program with parameters Entity: Request and Mode=Count and Mode Value = 14
- B. run Purge Concurrent Request and/or Manager Data Program with parameters Entity: Request and Mode=Age and Mode Value = 14
- C. run Purge Concurrent Request and/or Manager Data Program with parameters Entity: ALL and Mode=Count and Mode Value = 14
- D. run Purge Concurrent Request and/or Manager Data Program with parameters Entity: ALL and Mode=Age and Mode Value = 14

Answer: D

---

**QUESTION 164**

At your company, for the USA-Order Management Super User responsibility, the "Concurrent:Report Access Level" profile option is set to "User." For the user Joe, the Concurrent:Report Access Level profile option is set to "Responsibility. The USA-Order Management Super User responsibility is assigned to Joe. Which statement is true?

- A. Joe can view only the requests submitted by all users using the USA-Order Management Super User responsibility
- B. All users who have the USA-Order Management Super User responsibility can view Joe's requests.
- C. Joe can view only those requests submitted by him and the requests submitted by all other users using the USA-Order Management Super User responsibility.
- D. Joe can view only the requests submitted by him using the USA-Order Management Super User responsibility.

Answer: C