

Actualtests.com

The Power of Knowing



Exam : 000-079

Title : System x IBM Director v5.2

Ver : 12.16.08

QUESTION 1

Certkiller .com has 100 managed systems in four different regions. Which method provides the most efficient manner of applying multiple Event Action Plans for each of the regions?

- A. Apply the Event Action Plans to the individual systems
- B. Create four dynamic categories and apply the Event Action Plans to the categories
- C. Create four static groups of the targeted systems and apply the Event Action Plans
- D. Create dynamic groups based on location information and apply the Event Action Plans to the appropriate groups

Answer: D

QUESTION 2

Which of the following is NOT supported as a locally installed database on an IBM Director Server running under Linux?

- A. Oracle
- B. IBM DB2
- C. Apache Derby
- D. Microsoft SQL Server

Answer: D

QUESTION 3

A BladeCenter chassis has 14 blade servers running Microsoft Windows. What method can be used to perform an unattended and remote installation of the Director Agent on all 14 Blade Server?

- A. Insert Media into IBM BladeCenter Media Tray
- B. IBM Remote Deployment Manager's Deploy Agent Feature
- C. IBM BladeCenter Management Module Remote Session Feature
- D. Gain Access as Level-0 managed objects and use software Distribution

Answer: D

QUESTION 4

Certkiller .com wants to maintain and dynamically update firmware, BIOS and OS Drivers while also performing health checks for back-level system software. Which of the following options will accomplish this task?

- A. Create a DSA process task and launch via IBM Director
- B. Run UpdateXpress Server and Configure update assistant
- C. Configure Update Manager and run Software Health Check
- D. Run Remote Deployment Manager 4.3 to perform the firmware update task

Answer: C

QUESTION 5

What is the default database that replaced the Microsoft Jet Database in IBM Directory Server installation on an x86 device?

- A. Oracle
- B. IBM DB2
- C. Apache Derby
- D. Microsoft SQL Server

Answer: C

QUESTION 6

What encryption methods can be used between IBM Director Server and IBM Director Agent? (Choose three.)

- A. SSL
- B. DES
- C. AES
- D. CAST-128
- E. Triple DES
- F. PGP

Answer: B,C,E

QUESTION 7

When upgrading or updating IBM Director, the IBM Director configuration data should be backed up. Which of the following commands should be issued to back up this data?

- A. twgsave
- B. twgstore
- C. twgbackup
- D. twgrestore

Answer: A

QUESTION 8

What is the default database that replaced the Microsoft Jet Database in IBM Director Server Installation on an x86 device?

- A. Oracle
- B. IBM DB2
- C. Apache Derby

D. Microsoft SQL Server

Answer: C

QUESTION 9

Certkiller .com wants to monitor the total execution time for a particular process. What is the best way to accomplish this?

- A. IBM Director can't monitor process execution time
- B. Create a process Task and apply it to the system(s)
- C. Create a process monitor and apply a Resource Monitor
- D. Create a Resource Monitor and apply it to the system(s)

Answer: C

QUESTION 10

Which IBM Director extension is used to show a visual representation of a rack of IBM servers?

- A. Rack Manager
- B. Power Executive
- C. Rack Configuration
- D. Rack Configuration Tool

Answer: A

QUESTION 11

IBM Director Server 5.20 is installed in a virtual machine on a VMWare ESX 2.x host, running on an x3850 with an RSAAI adapter installed. In order to receive alerts from the RSAAI adapter one must:

- A. Add the RSAAI Adapter as a physical platform to IBM Director Console
- B. Do nothing; IBM Director Server 5.20 is not supported in a VMWare Virtual Machine
- C. Install the RSAAI device drivers into the IBM Director Server Virtual Machine and the VMWare ESX host
- D. Install the RSAAI device drivers and IBM Director Core Services Level-1 Agent to the VMWare ESX Server

Answer: A

QUESTION 12

Which of the following is a requirement for the use of the dircli command?

- A. Secure Shell (SSH) must be installed on all systems that dircli is to be run on
- B. The dircli command must be installed on the managed system that is the target of the command

- C. The user executing the dircli command must be a member of the DirSuper group on the IBM Director Server
- D. The user executing the dircli command must be a member of the Administrators group on the IBM Director Server

Answer: C

QUESTION 13

Certkiller .com has a system with BMC. An RSAII Adapter has also been installed. Both drivers for RSAII and BMC have been loaded. LAN connections to the RSAII management port have been established and configured. The IBM Director Console displays the RSAII Adapter as a physical platform but the BMC does not appear in the IBM Director Console. Which of the following most completely describes this situation?

- A. A valid IP address is not configured on the BMC
- B. The BMC is represented in a different IBM Director Console group
- C. The BMC gets turned off when the RSAII Adapter is installed in the same system
- D. Only the RSAII Adapter is added as a Physical platform; the BMC will not be added to the IBM Director Console

Answer: D

QUESTION 14

When using the Remote Control task in monitor mode, which of the following statements is correct?

- A. The remote user has full control of the remote managed system
- B. Only one remote user can monitor a managed systems at the same time
- C. The Remote user and the local user share control of the keyboard and mouse
- D. The remote user can only monitor video activity and has no keyboard or mouse control

Answer: D

QUESTION 15

An IBM Director Management Package ships with every system x and IBM Blade Server purchased. How many IBM Director Agent licenses for use on non-IBM hardware are included with each IBM Director Management Server deployed on IBM hardware?

- A. 0
- B. 14
- C. 10
- D. 20

Answer: D

QUESTION 16

Which is the first release of IBM Director Server that supports IBM Virtualization Manager?

- A. 4.20
- B. 5.20
- C. 5.10 .2
- D. 5.10.3

Answer: D

QUESTION 17

Certkiller .com is running VMWare ESX server with multiple virtual machines; all running VMWare tools but without the benefit of VirtualCenter. In the event of a predictive failure alert from the physical host, the customer would like to gracefully shutdown and power off all virtual machines running on that host. With IBM Director and Virtualization manager installed, what steps should be taken?

- A. Create an Event Action plan to determine PFAs in VMWare VirtualCenter.
- B. Create an Event Action plan using "Software Predictive Failure Analysis" as the event filter and "Manage a host" as the Action, customized to "Power Off all Virtual Machines". Associate this Event Action Plan with the Virtual Machines
- C. Create an Event Action Plan, using "Hardware predictive failure analysis" as the event filter. Select "Manage a Virtual Machine" as the action, customized to "Power off and shutdown". Associate this Event Action Plan with the VMWare ESX host.
- D. Create an Event Action Plan using "Hardware Predictive Failure Analysis" as the event filter. Select "Start a Task on the "event system" as the action, customized to "shutdown and power off all virtual machines". Associate this Event Action plan with the VMWare ESX host

Answer: D

QUESTION 18

Certkiller .com is setting up server-initiated discovery using IBM Director. Which method is best for avoiding broadcasts on their wide area network?

- A. Relay Agent
- B. SNMP Discover
- C. Multicast Discover
- D. Service Location Protocol Discovery

Answer: A

QUESTION 19

Which of the following are the characteristics of the Baseboard Management Controller? (Choose two)

- A. Remote Graphical Redirection
- B. Desktop Management Interface (DMI)
- C. Remote Access via LAN and Serial/modem
- D. Local access via systems management software
- E. Simple Network Management Protocol (SNMP) functionality

Answer: C,D

QUESTION 20

Certkiller .com will be installing IBM Director Server on a system that is member of a Windows domain. What prerequisite would be required to ensure that the installation is successful?

- A. The Director Service account must be a member of the DirSuper group
- B. The Director Service Account must be a member of the DirAdmin group
- C. The Director service account must be a member of the local administrators groups
- D. The Director service account must be a member of the domain administrators group

Answer: C

QUESTION 21

An IBM Directory Console user attempts to add a system to a static group. The system does not appear in the group. What is the most likely cause?

- A. The system is offline
- B. The user has Read Only Access to groups
- C. The user does not have access to the group
- D. The user has Read only access to the system

Answer: B

QUESTION 22

What is the default Linux or AIX mechanism for IBM Director Console user login authentication?

- A. PAM
- B. SLP
- C. LDAP
- D. Active Directory

Answer: A

QUESTION 23

Certkiller .com would like to do an in-place upgrade of their IBM Director Server 4.21 to version 5.20 but has concerns about support for a Microsoft Jet Database in version 5.20. Which option below is valid while upgrading from IBM Director 4.21 to version 5.20 without data loss?

- A. Drop the existing database and install MSDE
- B. Export the Microsoft Jet Database to Apache Derby
- C. IBM Director 5.20 supports Microsoft Jet (upgrade only)
- D. IBM Director does not support an upgrade from version 4.21 to version 5.20

Answer: C

QUESTION 24

The Resource Monitor task can be used to monitor which of the following?

- A. Failed user logins
- B. Amount of installed memory
- C. The warranty expiration date
- D. The existence of a specific file

Answer: D

QUESTION 25

What encryption method can be used between IBM Director Server and IBM Director Agent? (Choose three.)

- A. SSL
- B. DES
- C. AES
- D. CAST-128
- E. Triple DES
- F. PGP

Answer: B,C,E

QUESTION 26

As a standard administrator best practice when configuring user privileges, which privilege should NOT be granted to any DirAdmin account?

- A. Allow database configuration
- B. Allow Encryption administration
- C. Allow user account administration
- D. Allow product license manipulation

Answer: C

QUESTION 27

Certkiller .com wants to use in-band communication from IBM Director to a BMC on a System x3650 server running Microsoft Windows. What must be done to achieve this?

- A. The BMC plug-in for IBM Director must be installed on the system
- B. The IPMI Device driver and mapping layer must be installed on the system
- C. Configure the IP address of the BMC and enable the communication for the BMC in the system BIOS
- D. A RSAAI Slimline adapter must be installed and configured as a gateway to the BMC in the system

Answer: B

QUESTION 28

Certkiller .com has 100 managed systems in four different regions. Which method provides the most efficient manner of applying multiple Event Action Plans for each of the regions?

- A. Apply the Event Action Plans to the individual systems
- B. Create four dynamic categories and apply the Event Action Plans to the categories
- C. Create four static groups of the targeted systems and apply the Event Action Plans
- D. Create dynamic groups based on location information and apply the Event Action Plans to the appropriate groups

Answer: D

QUESTION 29

What is the minimum disk space requirement for an IBM Director Core Services installation on an x86 device under Windows and under Linux?

- A. Windows 40MB, Linux 100MB
- B. Windows 100MB, Linux 40MB
- C. Windows 110MB, Linux 165MB
- D. Windows 170MB, Linux 325MB

Answer: A

QUESTION 30

Which of the following lists tasks that will be shown in IBM Director Console if Certkiller .com selects the IBM Director Express Installation?

- A. Event Action Plan, Event Log, SNMP Browser, System Accounts, Inventory, Resource Monitors, Scheduler, Software Distribution, Update Manager
- B. Event Action Plan, Event Log, File Transfer, Hardware Status, Inventory, Resource

Monitors, Scheduler, Software Distribution, Update Manager

C. Event Action Plan, Event Log, Remote Control, Server Configuration Manager, Inventory, Hardware status, Software distribution, update manager

D. Event Action Plan, Event Log, Asset ID, External Application Launch, Process Management, Hardware Status, Software Distribution, Update Manager

Answer: B

QUESTION 31

Which of the following items can be configured with the Server Configuration Manager?

A. IP Address of the service processor, SNMP properties, userid and password

B. IP Address of the service processor, Remote Alert Recipients, userid and password

C. IP Address of the service processor, Global Remote Alert Settings, userid and password

D. IP Address of the IBM Director Agent, SNMP properties, userid and password for the IBM Director Agent Access

Answer: A

QUESTION 32

An Administrator has been using the BladeCenter Management Module Web Interface as the primary interface to manage the chassis. Five additional BladeCenter Chassis have been purchased and an IBM Director Server has been implemented. How will the method that the administrator uses to view the Management Module event logs change?

A. The Management module event log task can now view each of the five chassis event logs

B. Viewing of the Management Module Event log will not change. The web interface is still required

C. Viewing of the Management Module event log is no longer available through the Management Module Web Interface

D. The Management Module event log could now be viewed via the IBM Director event logs if the IBM Director agent was loaded on at least 1 blade server

Answer: B

QUESTION 33

Which of the following databases are only supported locally on the IBM Director Server running under Windows? (Choose two.)

A. IBM DB2

B. PostgreSQL

C. Apache Derby

- D. Windows SQL Server
- E. Microsoft SQL Server Express Edition 2005

Answer: C,E

QUESTION 34

Select the prerequisite protocol for the promotion of Linux systems from Level-0 to Level-2?

- A. SSH
- B. FTP
- C. SSL
- D. HTTP

Answer: A

QUESTION 35

Certkiller .com is unable to launch the Remote Session Task on an IBM Director Agent Running on Linux OS. What is the most likely cause?

- A. The SSH port is blocked
- B. The Administrator password is incorrect
- C. DCOM is not installed on the Linux System
- D. IBM Director Agent for Linux does not support the Remote Session Task

Answer: A

QUESTION 36

IBM Director Server 5.20 is installed in a virtual machine on a VMWare ESX 2.x host, running on an x3850 with an RSAII adapter installed. In order to receive alerts from the RSAII adapter one must:

- A. Add the RSAII Adapter as a physical platform to IBM Director Console
- B. Do nothing; IBM Director Server 5.20 is not supported in a VMWare Virtual Machine
- C. Install the RSAII device drivers into the IBM Director Server Virtual Machine and the VMWare ESX host
- D. Install the RSAII device drivers and IBM Director Core Services Level-1 Agent to the VMWare ESX Server

Answer: A

QUESTION 37

Which three of the following are valid objects in IBM Virtualization Manager? (Choose three.)

- A. Coordinator

- B. Virtual Farm
- C. Virtual Server
- D. Platform Manager
- E. VMWare ESX Server
- F. VMWare License Server

Answer: B,C,D

QUESTION 38

Certkiller .com has some powered off virtual servers associated with a certain host. Which of the following actions will result in all of these virtual servers being powered on?

- A. Right-Click the host, Select Host Management and then Power On all Stopped Virtual Servers
- B. Right-Click the host, Select Host Management and then Resume all Suspended Virtual Servers
- C. Right-Click the Virtual Farm, Select Host Management and then power on all Stopped Virtual Servers
- D. Right-Click the Virtual farm, Select Host Management and then Resume all suspended Virtual Servers

Answer: A

QUESTION 39

Certkiller .com will be installing IBM Director Server on a system that is member of a Windows domain. What prerequisite would be required to ensure that the installation is successful?

- A. The Director Service account must be a member of the DirSuper group
- B. The Director Service Account must be a member of the DirAdmin group
- C. The Director service account must be a member of the local administrators groups
- D. The Director service account must be a member of the domain administrators group

Answer: C

QUESTION 40

Certkiller .com has various IBM xSeries and System x servers managed by IBM Director Server. In order to update System BIOS on all systems, the customer decides to use the software distribution task. All the necessary BIOS update packages were downloaded and imported into the software distribution task. Which of the following would be the best solution to distribution the latest BIOS updates to all systems?

- A. Run a Software Health Check for each package that automatically updates the system with the appropriate package

- B. Create dynamic groups based on the inventory information about the system type. Distribute the appropriate packages to each group
- C. Create static groups for each of the system types. Manually add the correct systems to these groups and distribute the appropriate packages to each group
- D. Run a Software Health Check for each package and then distribute each package to the appropriate groups, which was automatically created by the software Health Check.

Answer: D

QUESTION 41

What is the name of the command that causes the management server to add a Level-2 managed system to its console in an agent-initiated discovery?

- A. getuid
- B. certmgr
- C. twgreset
- D. genevent

Answer: D

QUESTION 42

Certkiller .com would like to deploy applications packaged with the Microsoft Windows Installed through IBM Director. Which component is needed to perform this task?

- A. IBM Application Portal
- B. Remote Deployment Manager
- C. Server Configuration Manager
- D. Software Distribution Premium Edition

Answer: D

QUESTION 43

Certkiller .com has many SNMP devices which have been discovered by IBM Director. All appropriate MIB files are available on the IBM Director Server and have been compiled the SNMP Browser task. However, the customer sees only the dotted decimal SNMP notation instead of readable information when using the SNMP Browser task. What is the most likely source of this problem?

- A. The MIB files are in the wrong format
- B. The MIB files are located in the wrong directory
- C. The MIB files have been compiled but are not loaded
- D. Nothing, since IBM Director shows only dotted decimal notation for SNMP devices

Answer: C

QUESTION 44

Certkiller .com wants to maintain and dynamically update firmware, BIOS and OS Drivers while also performing health checks for back-level system software. Which of the following options will accomplish this task?

- A. Create a DSA process task and launch via IBM Director
- B. Run UpdateXpress Server and Configure update assistant
- C. Configure Update Manager and run Software Health Check
- D. Run Remote Deployment Manager 4.3 to perform the firmware update task

Answer: C

QUESTION 45

Certkiller .com reports that there is no software inventory information available when viewing the inventory task. What is the most likely cause?

- A. IBM Director does not inventory software data
- B. IBM Director Server is not configured to collect software data
- C. There are no IBM Director Level-2 Agents installed in the environment
- D. IBM Director did not recognize any software installed on the managed systems

Answer: B

QUESTION 46

Which of the following conditions must be met in order to successfully build the required RSAII drivers on a Linux system?

- A. The user must be logged in as the IBM Director Service account
- B. There are no prerequisite required to build the Linux drivers
- C. The Linux Kernel source must be installed and properly configured
- D. IBM Director Agent must be installed prior to compiling the drivers

Answer: C

QUESTION 47

Certkiller .com has deployed IBM Director Server and Level-2 Agents in a Linux Environment. The system are installed on multiple subnets in an enterprise network. A Relay Agent has been configured for each subnet but server based discovery requests are not populating the IBM Director Console with Director Agents. What could be the causing this problem?

- A. TCP Port 23 is not open
- B. TCP Port 2033 is not open
- C. UDP port 14247 is not open
- D. UDP Port 14248 is not open

Answer: D

QUESTION 48

Most problematic situations occur due to communication issues between the IBM Director Server and Agent. The genevent tool can be used to test the connectivity between the management server and the managed system. Which of the following is a valid genevent command to check this connectivity?

- A. Genevent TCP/IP:Director.ibm.com/message:"Checking Communication..." /type:"Test.Event"
- B. Genevent /sort:"Test.Event" /text: "Checking communication...." /dest TCP/IP::192.168.10.10
- C. Genevent //type:"Test.Event" //Message:"Checking Communication..." //dest: TCP/IP::Director.ibm.com
- D. Genevent /type:"Test.Event" /text: "Checking communication...." /dest TCP/IP::192.168.10.10

Answer: D

QUESTION 49

Certkiller .com has created an Event action plan which responds to an event by executing a script on the event system. The Script takes up to two minutes to resolve the issue, but the event continues to repeat while the script is running. It is not desirable to have the action repeat each time the event occurs. What type of event filter is most suitable for this case?

- A. Simple Event Filter
- B. Exclusion Event Filter
- C. Threshold Event Filter
- D. Duplication Event Filter

Answer: D

QUESTION 50

Certkiller .com has many SNMP devices which have been discovered by IBM Director. All appropriate MIB files are available on the IBM Director Server and have been compiled the SNMP Browser task. However, the customer sees only the dotted decimal SNMP notation instead of readable information when using the SNMP Browser task. What is the most likely source of this problem?

- E. The MIB files are in the wrong format
- F. The MIB files are located in the wrong directory
- G. The MIB files have been compiled but are not loaded
- H. Nothing, since IBM Director shows only dotted decimal notation for SNMP devices

Answer: C

QUESTION 51

Certkiller .com currently has 100 various IBM System x servers managed through IBM Director. Five older xSeries itanium-based servers, all with Windows 2000 64-bit advanced server were integrated into the environment yesterday. While trying to create a profile for the xSeries 455 servers using update manager, none of these servers are found in IBM Director Console. What is the most likely cause of this situation?

- A. The UpdateXpress Server has been turned off
- B. The xSeries 455 servers are not supported by Update Manager
- C. The Administrator has not collected inventory from the xSeries 455 servers
- D. The Administrator does not have the proper rights to create the Update Manager profile

Answer: B

QUESTION 52

Certkiller .com wants to use a response file to automatically install IBM Director server under Linux, but does not want to install the default Apache Derby database. Which response file configuration setting will achieve this result?

- A. DbmsConfigMethod=none
- B. DbmsApplication=OtherDB
- C. DbmsConfigMethod=Rspfile
- D. DbmsApplication=noDatabase

Answer: D

QUESTION 53

Certkiller .com wants to monitor applications on managed objects running a Linux OS. Which IBM Director task would be used to monitor this?

- A. Capacity Manager
- B. Hardware Status
- C. Resource Monitors
- D. Process Management

Answer: D

QUESTION 54

Which option most completely represents additional selectable feature during the IBM Director Server installation on a Windows x86 System?

- A. BladeCenter Management Extension, Rack Manager, System Availability
- B. IBM Director Remote Control Agent, System Availability, Rack Manager

- C. Server Configuration Manager, Rack Manager, BladeCenter Management Extension
- D. BladeCenter Management Extension, Rack Manager, IBM Director Remote Control Agent

Answer: D

QUESTION 55

When a System is configured for out-of-band management with an RSAIL Adapter and IBM Director Agent is not installed, which utility can be used to configure alert forwarding?

- A. SLP
- B. MPCLI
- C. Bmc_cfg
- D. Dir_cfg

Answer: B

QUESTION 56

Which of the following is NOT a function of IBM Director 5.20?

- A. Managing Virtual Servers
- B. Sending SMTP e-mail Messages
- C. Viewing Management Module Event logs
- D. Running tasks or programming on management systems

Answer: C

QUESTION 57

Certkiller .com decides to begin using SSL for all communication between IBM Director Console and Server, However, the management server can't be reached from some IBM Director Console Systems when the "Use SSL" box is selected in the console login window. That is the most likely reason for this situation?

- A. SSL encryption is not supported for IBM Director Consoles running under Linux or AIX
- B. If IBM Director Console is running under Windows XP Professional service pack 2 must be installed in order to support SSL encryption
- C. Enabling SSL Console/Server communication also changes the port used for this communication, so the required port is no longer open between some management consoles and the management server
- D. In order to ensure proper SSL encryption between IBM Director Console and Server, Encryption Administration must be modified on the management server, selecting the "Enable encryption of data using SSL" Check Box

Answer: C

QUESTION 58

Certkiller .com has purchased a System x server with RSAII slimline adapter. The server is already in production without an IBM Director Agent Installed. The RSAII driver was installed but MPCLI is not able to configure the adapter in-band. What needs to be done to correct this issue?

- A. Re-install the RSAII driver and reboot the OS
- B. Install the IBM Director Agent And use Server Configuration Manager to configure the adapter
- C. Reboot the server to access the system BIOS and ensure the host type is set to the correct value
- D. Connect to the system management port in the box of the server and access the adapter to configure a valid IP Address

Answer: C

QUESTION 59

Certkiller .com would like to have IBM Director generate a local pop-up alert message on the event system, when there is a critical storage event, in addition to sending an event to the IBM Director Server. What tool would be used to configure this?

- A. Windows Messenger
- B. Event Action Plan
- C. DirFilters command
- D. Cimsunsubscribe command

Answer: D

QUESTION 60

In the Asset ID profile Builder, which tab does NOT allow for any configuration?

- A. User
- B. Asset
- C. System
- D. Serialization

Answer: D

QUESTION 61

Certkiller .com has established a CPU monitor and created an Event Action Plan(EAP) that will start an IBM Director Console. Ticker Tape when the monitored threshold has been reached. However, when the threshold is exceeded, the Ticker Tape does not start, Which of the following is the most likely cause of this issue?

- A. The Event Action Plan was not associated with the managed System
- B. The user logged into the Director console doesn't have the proper operating system permissions
- C. The version of the IBM Director agent is not the same version as the IBM Director Server
- D. The Event Filter used in the action plan has the "delay action" parameter set under the Day/Time Configuration tab

Answer: A

QUESTION 62

Certkiller .com wants to deploy a Microsoft Service Pack on all of the servers in the environment. Which task is the best suited to accomplish this?

- A. Software Distribution
- B. Remote Deployment Manager
- C. Server Configuration Manager
- D. Software Distribution Premium Edition

Answer: D

QUESTION 63

Which IBM Director tasks can be used to run 3rd-party programs? (Choose two.)

- A. Process tasks
- B. HMC Integrator
- C. Electronic Service Agent
- D. IBM Director Task Manager
- E. External Application Launch

Answer: A,E

QUESTION 64

Exhibit:

On 13 September 2006, the twglster command was run on an IBM Director Agent system and produced the following output:

```
c:\twglster (UID=2F27F2345AA123D0, NAME='IDV520', PATH='TCPIP::169.162.111.101' LASTUPDATE= Wed Sep 13 03:01:05')
(UID=1F2243237DFA98C, NAME='longhorn', PATH='TCPIP::172.16.10.27' LASTUPDATE= Wed Sep 06 09:21:05') (UID=12DD334345AA1673,
NAME='Outback', PATH='TCPIP::10.27.0.31' LASTUPDATE : Wed Sep 13 03:01:05') (UID=7D2398F45AA1765A, NAME='IDSRV2',
PATH='TCPIP::169.189.100.101' LASTUPDATE=Tu Sep 12 12:07:05')
```

Please refer to the exhibit:

Which of the IBM Director Servers has an active connection to this agent?

- A. All Servers

- B. None of the Servers
- C. Only the "IDV520" Server
- D. Only the "IDV520" and Outback Servers

Answer: D

QUESTION 65

Certkiller .com wants to monitor the total execution time for a particular process. What is the best way to accomplish this?

- A. IBM Director can't monitor process execution time
- B. Create a process Task and apply it to the system(s)
- C. Create a process monitor and apply a Resource Monitor
- D. Create a Resource Monitor and apply it to the system(s)

Answer: C

QUESTION 66

Which of the following is NOT a supported Storage Managed Object?

- A. DS4300
- B. DS4000
- C. DS8000
- D. Qlogic Swtiches

Answer: C

QUESTION 67

Certkiller .com is unable to launch the Remote Session task on an IBM Director Agent running Linux OS. What is the most likely cause?

- A. The SSH port is blocked
- B. The Administrator password is incorrect
- C. DCOM is not installed on the Linux System
- D. IBM Director Agent for Linux does not support the Remote Session task

Answer: A

QUESTION 68

Which task is available when managing an IBM Director Level=1 Agent?

- A. File Transfer
- B. Hardware Status
- C. ServeRAID Manager
- D. System Availability

Answer: B

QUESTION 69

When installing IBM Director Agent, in which state will the Agent be installed by default?

- A. Windows,;Secured Linux:Secured Netware:Secured
- B. Windows,;unSecured Linux:Secured Netware:unSecured
- C. Windows,;unSecured Linux:unSecured Netware:unsecured
- D. Windows,;Secured Linux:secured Netware:unsecured

Answer: D

QUESTION 70

Which storage device is supported by the Server Storage Provisioning Tool (SSPT)?

- A. IBM System Storage DS400
- B. IBM System Storage DS300
- C. IBM System Storage N3700
- D. IBM System Storage DS4000

Answer: D

QUESTION 71

Which protocol is used by default to gain access to a Level 0 Agent running Windows OS?

- A. SLP
- B. SNMP
- C. DCOM
- D. TELNET

Answer: C

QUESTION 72

Certkiller .com has installed the External Application Launch Wizard on a Windows IBM Director Server. The customer accesses the IBM Director Server from a Remote Console and wants to run the External Application Launch Wizard from this console. Which of the following actions should the customer perform?

- A. Open a Remote Control Session to the IBM Director Server; then in command window type "ealwizard" to start the wizard
- B. Install the External Application Launch Wizard on the console System. From the Director console select task External Application Launch Wizard
- C. Open the command prompt on the Director Console System; map a drive to IBM

Director Server Director\Bin folder and type "ealwizard" to start the wizard
D. The External Application Launch Wizard is installed as a default when the IBM Director server is installed. From the Director console select tasks External Applications Launch Wizard

Answer: A

QUESTION 73

Certkiller .com has System x servers installed with RSAII adapters. IBM Director (comprehensive) alerting has been configured automatically. The customer wants to get the out-of-band events from the RSAII as a console Ticker Message, but this is not working. What must the customer do so the RSAII alerts flow the ticker?

- A. Nothing; the events from the RSAII adapter are automatically added to each other
- B. Create an Event action plan with a filter that covers SNMP events and a customized console Ticker message, then associate the Event Action Plan with All Managed Objects group
- C. Create an Event Action plan with a filter that covers MPA events and use a customized console Ticker message; then associate this event action plan with the physical platforms group
- D. Create an Event Action Plan with a filter that covers MPA events and use a customized console Ticker message, then associate this Event Action plan with the Level-2 IBM Director Agents group

Answer: C

QUESTION 74

When requesting access to a Level-2 Agent running under Windows, the credentials entered must have what level of access?

- A. Member of the DirAdmin group on the IBM Director Agent System
- B. Member of the DirSuper group on the IBM Director Server System
- C. Member of the administrators group on the IBM Director Agent System
- D. Member of the Administrators groups on the IBM Director Server System

Answer: C