

Actualtests.com

The Power of Knowing



Exam : 000-888

Title : IBM Tivoli Workload Scheduler V8.3
Implementation ☐ ☐ ☐ ☐ ☐

Ver : 03-04-09

QUESTION 1:

JnextPlan fails with message AWSJPL017E. The production plan cannot be created because a previous action on the production plan did not complete successfully. Which command can be used to rectify this?

- A. planman unlock
- B. ResetPlan -scratch
- C. Jnextday -unlock
- D. planman reset

Answer: A

QUESTION 2:

Which command can be used to help determine if it is possible to connect to the port being used by a Tivoli Workload Scheduler agent?

- A. ping <node> <port>
- B. ps -ef | grep <twuser>
- C. telnet <node> <port>
- D. portstat -r | grep <port>

Answer: C

QUESTION 3:

Which log offers the best troubleshooting information for an abended job?

- A. stdlist/logs/<yyyymmdd>_NETMAN.log
- B. stdlist/logs/<yyyymmdd>_TWSMERGE.log
- C. audit/plan/<yyyymmdd>
- D. stdlist/<yyyy.mm.dd>/O<###>.<time>

Answer: D

QUESTION 4:

When upgrading, which method is used to import data directly from an existing Tivoli Workload Scheduler Mozart file to TWS V8.3?

- A. composer replace
- B. composer create
- C. composer display
- D. datamigrate

Answer: D

QUESTION 5:

What are the minimum requirements in the r3batch.opts file for a user to launch jobs?

- A. CFuser, r3def
- B. no minimum requirements
- C. LJuser, IFuser, jobdef
- D. LJuser, check interval, check retry

Answer: C

QUESTION 6:

A new workstation has been added to the Tivoli Workload Scheduler (TWS) V8.3 production environment. The next Final schedule completes successfully but all the jobs for that workstation stay in a ready state. What is the likely cause of this problem?

- A. The script needs to be executed from the master.
- B. The limit on the new workstation has not been increased above 0.
- C. The permissions on the script trying to be executed are not correct.
- D. The TWS administrator does not have the correct permissions.

Answer: B

QUESTION 7:

Which command displays the port number in the database that the master will use to connect to a Fault Tolerant Agent?

- A. composer di s=FTA
- B. composer display cpu=FTA
- C. conman showcpu;info
- D. conman showcpu;l

Answer: B

QUESTION 8:

Option Editor on UNIX is missing, although the Extended Agent was successfully installed. What is the cause?

- A. Option Editor is not available on UNIX platforms.
- B. Option Editor can be installed only by InstallShield MultiPlatform wizard.

- C. twsinst script was issued without the opted parameter.
- D. Option Editor is being installed by a separate installation process.

Answer: B

QUESTION 9:

When changes have been made to the Security file template, which command can be used to update the Security file?

- A. permission -update
- B. UpdateStats
- C. makesec Security.txt
- D. Security -update

Answer: C

QUESTION 10:

In order to have a two-way link between a Fault Tolerant Agent (FTA) and a Master Domain Manager (MDM), which three statements must be true? (Choose three.)

- A. FTA uses the same port as the MDM.
- B. MDM does not use the same <twuser> as FTA.
- C. MDM can resolve FTA's node information.
- D. FTA can resolve MDM's node information.
- E. MDM uses the same operating system as FTA.
- F. FTA's netman runs and uses the port specified for the current production day.

Answer: C,D,F

QUESTION 11:

Which command should be used to reset the production plan?

- A. optman scratch
- B. ResetPlan scratch
- C. optman reset
- D. JnextPlan -reset

Answer: B

QUESTION 12:

Where should the DB2 database be located when installing in a production environment, with both a Master Domain Manager (MDM) and Backup Master Domain Manager

(BMDM), in order to provide the most resilience?

- A. independently on both
- B. on the BMDM only
- C. on a separate database server
- D. on the MDM only

Answer: C

QUESTION 13:

What should you do to connect to more than one SAP instance with only one Extended Agent installation?

- A. create a CPU definition for each SAP instance
- B. edit the r3options file to have each server name and IP address configured
- C. create a CPU definition and local options for each SAP instance being accessed
- D. create local options for each SAP instance being accessed

Answer: C

QUESTION 14:

Which statement is correct when a job has not completed by its termination deadline time and the termination deadline feature is enabled?

- A. The job is shown as "late" in conman and the Job Scheduling Console.
- B. The job does not start if not started yet.
- C. A prompt dependency is added to the job and the operator considers whether or not to launch it.
- D. The job is cancelled, if it is still running.

Answer: A

QUESTION 15:

Which command shows which netman port definition is being used for the current production day?

- A. ps
- B. nslookup
- C. conman "sc;l"
- D. netstat

Answer: C

QUESTION 16:

Certkiller .com wants to set up a method to allow Tivoli Workload Scheduler internetwork dependencies in a Windows environment. Which method can be used to achieve this task?

- A. psagent
- B. unxlocl
- C. r3batch
- D. netmth

Answer: D

QUESTION 17:

Which kernel parameters must be set to install and use a Fault Tolerant Agent?

- A. No kernel parameter changes are required.
- B. nflocks, maxfiles, and nproc
- C. msgsys:msginfo_msgmni, semsys:seminfo_semmni, shmsys:shminfo_shmmax, shmsys:shminfo_shmmni
- D. nbuf, maxfiles, and maxfiles_lim

Answer: A

QUESTION 18:

Which command can be used to restore the jobs database from a flat file?

- A. conman add
- B. conman define
- C. composer add
- D. composer define

Answer: C

QUESTION 19:

Which Tivoli Workload Scheduler report command is used to print out Planned Production Summary and Planned Production Detail?

- A. rep9a
- B. repl
- C. rep10b
- D. reptr

Answer: D

QUESTION 20:

Which two parameters can be set on a job stream? (Choose two.)

- A. priority
- B. domain
- C. limit
- D. fence
- E. user

Answer: A,C

QUESTION 21:

What are three possible values for dependency resolution for "external follows dependencies"? (Choose three.)

- A. closest following
- B. within relative interval
- C. same scheduled date
- D. same workstation
- E. same Tivoli Workload Scheduler domain
- F. closest preceding

Answer: B,C,F

QUESTION 22:

Which DB2 release is a prerequisite for a Tivoli Workload Scheduler V8.3 Master Domain Manager install on Solaris 10?

- A. DB2 8.2.2
- B. DB2 6.8
- C. DB2 9.2.2
- D. DB2 7.1

Answer: A

QUESTION 23:

Which three installation methods can be used to install an Extended Agent? (Choose three.)

- A. MSI setup
- B. twsinst
- C. InstallShield MultiPlatform wizard
- D. twsappinst
- E. dd on UNIX platforms
- F. Tivoli Configuration Manager (software package blocks)

Answer: C,D,F

QUESTION 24:

Consider the following workstation definition:

```
cpuname ibm_cpu4
os unix
domain cpu4
for maestro
type manager
autolink on
behindfirewall off
fullstatus on
end
```

Which type of Tivoli Workload Scheduler (TWS) workstation is this?

- A. Master Domain Manager
- B. UNIX Extended Agent
- C. UNIX Fault Tolerant Agent
- D. UNIX Domain Manager

Answer: D

QUESTION 25:

Certkiller .com wants to be emailed when a scheduled job has abended. What is the best way to do this?

- A. Operations monitors jobs with a status of ABEND and manually sends an email to the correct recipient.
- B. The jobs defined recovery option specifies a script that automatically emails a recipient of the abended job.
- C. The JSC monitors jobs that the user defines, and if a job abends, the JSC forwards the job and its log data directly to the user.
- D. The owner of the job manually monitors his jobs from the Job Scheduling Console.

Answer: B

QUESTION 26:

What is used to specify where netman listens for incoming connections?

- A. globalopts parameter nm establish
- B. localopts parameter nm port
- C. localopts parameter nm connect
- D. globalopts parameter nm listen

Answer: B

QUESTION 27:

When installing Tivoli Workload Scheduler on a UNIX system, the following error is received:

Error writing file = There may not be enough temporary disk space

What is the best action to take to resolve this problem?

- A. SETUP.sh -noask
- B. SETUP.sh -is:tempdir <dir>
- C. SETUP.sh instdir <dir>
- D. SETUP.sh inocash

Answer: B

QUESTION 28:

How can you prevent a job stream from launching without confirmation by an operator?

- A. specify the Requires Confirmation parameter
- B. define a prompt dependency on that job stream
- C. specify an external dependency on the job stream that is never submitted to the plan
- D. specify a start time when the operator can monitor the job stream

Answer: B

QUESTION 29:

Which command can be utilized to generate a text file of database objects for backup/update?

- A. conman show
- B. jobstdl
- C. composer add
- D. composer create

Answer: D

QUESTION 30:

When submitting multiple instances of the same job stream into the Plan, which statement is correct?

- A. Multiple instances of a job stream can be in the same plan with the same name.
- B. Multiple instances of the same job stream can be in the same plan if they are marked as "CarryForward."
- C. Multiple instances of a job stream can be in the same plan if they have different job names.
- D. Multiple instances of the same job stream can NOT be in the same plan.

Answer: A

QUESTION 31:

Which command is used to stop the WebSphere Application Server - Express service for Tivoli Workload Scheduler on a UNIX system?

- A. WASstop.sh
- B. WASservice stop
- C. shutWasServ.sh
- D. stopWas.sh -user <user> -password <password>

Answer: D

QUESTION 32:

Which log offers the best troubleshooting information for a failed job?

- A. stdlist/<yyyy.mm.dd>/O<###>.<time>
- B. stdlist/logs/<yyyymmdd>_TWSMERGE.log
- C. audit/plan/<yyyymmdd>
- D. stdlist/logs/<yyyymmdd>_NETMAN.log

Answer: B

QUESTION 33:

An administrator is instructed to change the acting Master Domain Manager. Which three statements are true about this change? (Choose three.)

- A. It can be made in gconman.

- B. It occurs automatically.
- C. It can be made from a DOS or UNIX prompt.
- D. This change cannot be made.
- E. Job Scheduling Console can be used to make this change.
- F. It can be made from the conman command line.

Answer: C,E,F

QUESTION 34:

Which two logs might offer insight into a connectivity problem? (Choose two.)

- A. <twshome>/stdlist/logs/<yyyymmdd>_NETMAN.log
- B. <twshome>/audit/database/<yyyymmdd>
- C. <twshome>/stdlist/logs/<yyyymmdd>_TWSMERGE.log
- D. <twshome>/audit/plan/<yyyymmdd>
- E. <twshome>/stdlist/<yyyy.mm.dd>/O<###>.<time>

Answer: A,C

QUESTION 35:

Certkiller .coms Tivoli Workload Scheduler (TWS) Administration Staff notices that many jobs are running beyond the Final job stream 24 hour cycle. How can you address this issue within TWS without changing the times the jobs run?

- A. adjust the start time of the production day
- B. have TWS administrators reorganize the TWS RDBMS backend database, thereby optimizing its performance
- C. request that users log off from the RDBMS during its peak production loads
- D. have the TWS administration team adjust business critical production schedules

Answer: A

QUESTION 36:

Which type of Tivoli Workload Scheduler agent is most appropriate to use on a workstation that can only be reached over a very slow network connection?

- A. Standard Agent
- B. Fault Tolerant Agent (FTA) with Full-Status and resolve dependencies set
- C. Domain Manager
- D. FTA with compression enabled

Answer: D

QUESTION 37:

If a predecessor job is cancelled, what happens to any successor jobs?

- A. run immediately
- B. run immediately after all other dependencies are met
- C. are cancelled
- D. never run

Answer: B

QUESTION 38:

Which two prerequisites must be met in order to successfully install two instances of Fault Tolerant Agent on the same machine? (Choose two.)

- A. Each instance must be installed in a different directory.
- B. Each instance must be located in a different Tivoli Workload Scheduler domain.
- C. Both instances must run under a root account.
- D. Each instance must be installed under a different user.
- E. Each instance must be installed using a different installation method.

Answer: A,D

QUESTION 39:

What are three benefits of having standardized naming conventions for scheduling objects? (Choose three.)

- A. help ensure that job and job stream names do not contain dashes or underscores
- B. help ensure that job and job stream names start with alphanumeric characters
- C. make it easy to assign Security access by allowing use of wildcards
- D. make it easy to display just the workload for a single department
- E. help Tivoli Workload Scheduler launch jobs and job streams more efficiently
- F. display information (frequency/department/etc) at a glance

Answer: C,D,F

QUESTION 40:

Which jobs does the Final job stream contain by default?

- A. MakePlan, SwitchPlan, CreatePostReports, UpdateStats
- B. Jnextday,schedulr, reporter, StartUp
- C. mailman, batchman, writer, netman
- D. Schedulr, compiler, stageman, logman

Answer: A

QUESTION 41:

Which utility is used to alter trace properties of the embedded version of WebSphere Application Server - Express on Windows?

- A. <twshome>\appserver\tools\trace.properties
- B. changeHostProperties.bat
- C. <twshome>\wastools\trace.conf
- D. changeTraceProperties.bat

Answer: D

QUESTION 42:

Which setting prevents "long" formatted output from being presented in multiple pages?

- A. MAESTRO_STD_OUT=SHORT
- B. MAESTROLINES=0
- C. MAESTRO_STD_OUT=0
- D. MAESTROLINES=SHORT

Answer: B

QUESTION 43:

What option can be set to prevent jobs from launching?

- A. CPU fence to GO
- B. delay to ON
- C. stall to ON
- D. delay to 0

Answer: A

QUESTION 44:

Certkiller .com with an existing Tivoli Workload Scheduler (TWS) V8.2 installation will be running a TWS V8.3 system in parallel until all jobs and schedules can be migrated into the new environment. Which version(s) of the Job Scheduling Console (JSC) is required to support this configuration?

- A. Two installations are required: JSC V1.3 / V1.4 for the TWS V8.2 environments and JSC V8.3 for the newly installed TWS V8.3 environment.

- B. One installation is required: JSC V1.3 / V1.4 for the TWS V8.2 environments. The JSC V8.3 is hosted from the WebSphere Application Server and does not require a formal installation like the earlier JSC V1.3 / V1.4.
- C. The existing V1.4 version will support both the V8.2 and V8.3 environments because it recognizes the new WebSphere Application Server connections.
- D. A single version of the V8.3 JSC is required. The new V8.3 JSC will support the V8.3 TWS systems as well as the TWS V8.2 back level revision.

Answer: A

QUESTION 45:

What is the proper way to install the Job Scheduling Console (JSC) on a Laptop/Windows workstation?

- A. New JSC users should directly install the latest release available on IBM's download site. The base code is not a required step in the process.
- B. The base JSC product is a prerequisite install for any fix packs. Fix packs are not cumulative and each one must be installed in its order of release.
- C. The base JSC code must be applied. During application initialization, the JSC will check for updates within the WebSphere Application Server datastore.
- D. The base JSC product is a prerequisite install for all fix packs. Fix packs are cumulative, therefore the user can directly install the latest fix pack.

Answer: D

QUESTION 46:

When uninstalling Tivoli Workload Scheduler, which important guideline should be considered first?

- A. determine the uninstall method based on the OS Tier
- B. always use twsinst uninst
- C. wherever possible, use the same method that was used to install the product when uninstalling the product
- D. use uninstaller.exe for Windows or uninstaller.sh for UNIX

Answer: C

QUESTION 47:

Which two are used to back up a Tivoli Workload Scheduler database? (Choose two.)

- A. backupConfig.sh
- B. composer create
- C. db2 backup

- D. datamigrate
- E. conman ss

Answer: B,C

QUESTION 48:

Which field holds the value for port when looking at a CPU definition in composer?

- A. NODE
- B. TCPADDR
- C. PORT
- D. TCPPORT

Answer: B

QUESTION 49:

You are using the JOBMANRC default to send an email notification. When a job has an ABEND state, which user will receive the email?

- A. maestro user
- B. root
- C. user that started Tivoli Workload Scheduler
- D. logon user specified in job definition

Answer: D

QUESTION 50:

How does conman sc identify the current master when run from MASTERDM?

- A. "I J" in state field
- B. "MASTER" in node field
- C. It does not identify the current master.
- D. "*" (asterisk) in node field

Answer: B

QUESTION 51:

Which file must be removed manually after uninstalling Tivoli Workload Scheduler V8.3?

- A. properties.vpd
- B. libatrc.so

- C. .swdis
- D. TWSRegistry.dat

Answer: D

QUESTION 52:

Certkiller .com wants to limit access in his enterprise based upon the following functional units: Accounting, Manufacturing, Sales, IT, Service, and Clerical. Which two steps can the Tivoli Workload Scheduler (TWS) system architect take to accomplish this objective? (Choose two.)

- A. create and enforce a naming convention, based on unit
- B. assign a different subdirectory to each user group
- C. create entries in the Security file utilizing wildcards
- D. create functional groups for each department and add each user into the appropriate group
- E. specify user groups in the TWS Security file using the \$user variable

Answer: A,C

QUESTION 53:

If multiple user stanzas exist in a Security file, which one is selected?

- A. most restrictive
- B. first match
- C. stanza with all scheduling objects
- D. last match

Answer: B

QUESTION 54:

How can a user produce a production forecast?

- A. JSC
- B. conman
- C. conman or JSC
- D. rep11

Answer: D

QUESTION 55:

On which three operating systems is the Master Domain Manager supported? (Choose

three.)

- A. AIX 5.3
- B. Microsoft Windows NT Server
- C. Tru 64
- D. IBM OS/400 5.3
- E. SUN Solaris 9
- F. Microsoft Windows 2003 Server

Answer: A,E,F

QUESTION 56:

Which two methods can be used to upgrade a Tivoli Workload Scheduler (TWS) agent?
(Choose two.)

- A. twsinst upgrade uname maestro
- B. install.bin update user maestro
- C. tws_upgrade user maestro
- D. twsinst update uname maestro
- E. choose the upgrade option of the TWS Installation Wizard

Answer: D,E

QUESTION 57:

Certkiller .com needs to install a Tivoli Workload Scheduler Master Domain Manager on UNIX, but the default temporary directory does not have enough free space. Which syntax should be used?

- A. customize update space /opt/tmp
- B. twsinst new mdm <CPUNAME> -tmp /opt/tmp
- C. SETUP.bin is:tempdir /opt/tmp
- D. chfs a size=+40960 /tmp

Answer: C

QUESTION 58:

On a Tivoli Workload Scheduler (TWS) agent, in which file is the current installed TWS fix pack level documented?

- A. <twshome>/version/patch.info
- B. <twshome>/config/TWSver
- C. <twshome>/localopts
- D. <twshome>/log/install.log

Answer: A

QUESTION 59:

Which command should be used for a silent new install of a Tivoli Workload Scheduler agent on UNIX?

- A. install_tws new uname maestro thiscpu mars master earth port 31111 company IBM
- B. twsinst -new -uname maestro -thiscpu mars -master earth -port 31111 -company IBM
- C. customize new uname maestro thiscpu mars master earth company IBM
- D. SETUP.bin new uname maestro thiscpu mars master earth company IBM

Answer: B

QUESTION 60:

You are installing Tivoli Workload Scheduler using a Domain user and you receive the following error:

The user account is not created on Windows 2000 with system error 56b.

Which action should you take to complete the install?

- A. notify the Windows administrator
- B. set the user account creation step of the installation to 'ready' and continue the installation
- C. check the user and password
- D. re-install Tivoli Workload Scheduler using a different user

Answer: B

QUESTION 61:

What are two functions of the StartUp script? (Choose two.)

- A. starts Job Scheduling Console
- B. starts netman
- C. launches the Final job stream
- D. initializes autotrace
- E. starts batchman

Answer: B,D

QUESTION 62:

How can you install WebSphere Application Server - Express for Tivoli Workload Scheduler (TWS)?

- A. WebSphere Application Server - Express is installed automatically, during the TWS ISMP install.
- B. from a DB2 installation CD
- C. run was_setup.bin from the TWS installation CD
- D. from a WebSphere Application Server Express installation CD, provided separately

Answer: A

QUESTION 63:

A Fault Tolerant Agent based in California (UTC-8) is hosting a SAP R/3 Extended Agent pointing to a SAP instance in Austin (UTC-6). A SAP job is launched by Tivoli Workload Scheduler at 09:30. At what time would this job run on the SAP instance?

- A. 09:30
- B. 11:30
- C. 07:30
- D. 13:30

Answer: B

QUESTION 64:

Which configuration file must be modified to make Tivoli Workload Scheduler log events into a text file?

- A. BmEvents.conf
- B. tws.properties
- C. loggingproperties.conf
- D. monitoring.cfg

Answer: A

QUESTION 65:

To allow an Extended Agent to be hosted by the active Master Domain Manager (MDM), what should be listed as the Extended Agent's host?

- A. <MDMs CPU name>
- B. \$HOST
- C. \$MASTER
- D. <MDMs node name>

Answer: C

QUESTION 66:

What is the most appropriate user for the unixrsh Extended Agent to utilize to successfully check file dependencies?

- A. nobody
- B. admin
- C. root
- D. <twuser>

Answer: C

QUESTION 67:

Which command can be used to back up the current Tivoli Workload Scheduler security file?

- A. composer create backup_sec.txt from security
- B. dumpsec > backup_sec
- C. db2 backup
- D. makesec backup_sec

Answer: B

QUESTION 68:

The CPU limit for a workstation is set to "0" and fence is set to "0." How can the job be launched by setting the job priority? (Choose two.)

- A. NOW
- B. RELEASE
- C. HI or GO
- D. IMMEDIATE
- E. 100 or 101

Answer: C,E

QUESTION 69:

To run a job on the unixrsh Extended Agent, which configuration file must be set up on the remote UNIX workstation?

- A. .profile or .kshrc
- B. .rhosts or /etc/hosts.equiv
- C. StartUp or localopts
- D. jobmanrc or .jobmanrc

Answer: B

QUESTION 70:

When a job is executed by a new user on a Fault Tolerant Agent (FTA), the following error is received:

Error: AWSIJ109E An internal error has occurred. Jobman was unable to log on to the local computer

What is the most likely cause of this error?

- A. The services have no rights to execute the job on the Windows FTA.
- B. The system has not been restarted.
- C. The streamlogon user has not been granted the appropriate user rights on the Windows FTA.
- D. The streamlogon user has too many rights to execute the job on the Windows FTA.

Answer: C

QUESTION 71:

When are changes to the database incorporated into the plan?

- A. when Jnextday is run
- B. before JnextPlan is run
- C. after Final schedule is run
- D. before Final schedule is run

Answer: C

QUESTION 72:

What is the location of all DB2 utilities provided with Tivoli Workload Scheduler installation media?

- A. db2/utility
- B. appserver/tools
- C. ModelTables
- D. tools/db2util

Answer: C

QUESTION 73:

The Tivoli Workload Scheduler administrator is creating a maintenance script to back up the database objects in the database to an ASCII file (in the event they may need to do a

system restore). Which command is used to extract the database objects to a text file for backup and restore purposes?

- A. conman extract
- B. composer extract
- C. conman create
- D. composer create

Answer: D

QUESTION 74:

Why would all jobs executing as a particular user begin to fail on a Windows workstation?

- A. No changes took place.
- B. Tivoli Workload Scheduler was not running.
- C. The workstation unlinked from the Master Domain Manager (MDM).
- D. The user password was changed.

Answer: D

QUESTION 75:

When installing a Tivoli Workload Scheduler agent on an AIX platform, what account must be used?

- A. root
- B. Administrator
- C. <twuser>
- D. db2inst1

Answer: A

QUESTION 76:

Which utility is used to back up the WebSphere Application Server - Express configuration files that are associated with a Tivoli Workload Scheduler V8.3 environment?

- A. WasBackUp.sh
- B. db2backup.sh
- C. backupConfig.sh
- D. WasDB.sh -backup

Answer: C

QUESTION 77:

You modify the WebSphere Application Server Express to use LDAP in Windows. What should you do next?

- A. stop and start Tivoli Workload Scheduler processes
- B. change the properties of the Windows Services
- C. run JnextPlan
- D. restart the workstation

Answer: B

QUESTION 78:

Which command would you use to import global options from version 8.2.1 to version 8.3?

- A. datamigrate topology.txt
- B. wmigrate -globalopts
- C. twsinst upgrade <prev_install_dir>
- D. optman miggopts <prev_install_dir>

Answer: D

QUESTION 79:

Which file must exist in a user's home directory so that Tivoli Workload Scheduler can launch jobs with a specific user's environment?

- A. jobmanrc
- B. profile
- C. localopts
- D. .jobmanrc

Answer: D

QUESTION 80:

What is the source for the most current list of required fix packs and kernel parameter settings required by Tivoli Workload Scheduler (TWS) V8.3?

- A. Release Notes
- B. Planning and Installation Guide
- C. Reference Guide
- D. TWS Software Support

Answer: D

QUESTION 81:

When creating a .jobmanrc, which environmental variable contains the job command string?

- A. MAESTRO_CMD
- B. JOB_COMMAND
- C. UNISON_JCL
- D. UNISON_CMD

Answer: C

QUESTION 82:

Which three advanced user rights are needed for a Windows user account, under which a Tivoli Workload Scheduler agent will run? (Choose three.)

- A. Administrator
- B. log on as a domain
- C. increase quotas
- D. PowerUser
- E. log on as batch job
- F. log on as a service

Answer: C,E,F

QUESTION 83:

On Windows, both the "Tivoli Token" service and the "Tivoli Workload Scheduler (for <twuser>)" service fail to start for the first time after installation using an existing user account. What is a possible reason for the failure?

- A. The operating system has insufficient RAM or disk.
- B. The existing user account does not have the five advanced user's rights.
- C. The system has not been restarted.
- D. The version of the OS is not fully supported.

Answer: B

QUESTION 84:

Even after the rmstdlist script has run, the schedlog files need to be maintained/removed on which type of Tivoli Workload Scheduler agent?

- A. Fault Tolerant Agents
- B. Extended Agents
- C. Domain Managers
- D. Master Domain Managers

Answer: D

QUESTION 85:

Which Advanced User Right is required to run a job as a Tivoli Workload Scheduler user under the Windows OS?

- A. log on as a batch job
- B. add workstations to domain
- C. increase scheduling priority
- D. take ownership of files or other objects

Answer: A

QUESTION 86:

What is used to change passwords for Windows users in the current Symphony file in Tivoli Workload Scheduler?

- A. nt_passwd
- B. conman altpass <CPU>#<username>
- C. composer altpass <CPU>#<username>
- D. planman passwd

Answer: B

QUESTION 87:

What are three possible reasons for a job to end with a FAIL status?

- A. A script that should be executed by a job does not exist.
- B. A script that should be by a job has an internal error.
- C. A script that should be executed by a job is not executable.
- D. The job has incorrect return code mapping.
- E. A user that is defined for the job does not exist.
- F. A user that is defined for the job is not in the system group.

Answer: A,C,E

QUESTION 88:

What is the best way to ensure that job stream A completes before job stream B launches?

- A. define each job stream on a different workstation
- B. define resource of quantity=1 and for both job streams set up the resource dependency with consumption of 1 for that resource
- C. manually put one job stream on hold until the second job stream finishes
- D. make one job stream dependent on the other

Answer: D

QUESTION 89:

What is the default start time for the Final job stream for Tivoli Workload Scheduler V8.3?

- A. 0001
- B. 0600
- C. 1800
- D. 0559

Answer: D

QUESTION 90:

Which file holds the Tivoli Workload Scheduler network services configuration?

- A. <twshome>/network/NetProfile
- B. <twshome>/localopts
- C. <twshome>/Services_Config
- D. <twshome>/network/NetConf

Answer: D

QUESTION 91:

What must be done to a CPU/workstation for it to be eligible to be a Backup Sub Domain Manager? (Choose two.)

- A. have the same port number
- B. have full status
- C. be in the same timezone
- D. have access to databases
- E. be in the same domain

Answer: B,E

QUESTION 92:

Given that the start of the production day is defined as 14:00, what time should the Final job stream be scheduled to launch?

- A. 13:59
- B. 14:01
- C. 12:00
- D. immediately run after JnextPlan

Answer: A

QUESTION 93:

The installation of a UNIX Master Domain Manager is not successful. Which command should be issued to run the installation again without repeating the previous successful steps?

- A. SETUP.exe -continue
- B. customize -continue
- C. SETUP.bin -resume
- D. twsinst -resume

Answer: C

QUESTION 94:

Which monitoring system receives events for jobs with the flag "Monitored Job" set to "YES"?

- A. Tivoli Enterprise Console
- B. Tivoli Business Systems Manager
- C. Tivoli Monitoring
- D. Tivoli NetView

Answer: B

QUESTION 95:

What causes the switchmgr command to fail?

- A. high memory utilization
- B. lack of disk space

- C. high thread count
- D. high CPU utilization

Answer: B

QUESTION 96:

What are two possible methods for installing the Job Scheduling Console? (Choose two.)

- A. InstallShield MultiPlatform using GUI
- B. MSI installation
- C. twsinst
- D. AIX smitty utility
- E. InstallShield MultiPlatform using silent installation

Answer: A,E

QUESTION 97:

The Final job stream fails with the following message:
AWSJCS011E An internal error has occurred. The error is the following:
"java.lang.OutOfMemoryError"
What is a possible solution for this?

- A. increase the Java heap size
- B. stop and start DB2
- C. re-install Java Runtime Environment (JRE)
- D. increase the RAM on your workstation

Answer: A

QUESTION 98:

Which type of connectivity must exist between the Domain Manager (DM) and the Fault Tolerant Agent (FTA)?

- A. one way (Master Domain Manager to FTA only)
- B. one way (FTA to DM only)
- C. one way (DM to FTA only)
- D. two way (DM to FTA, FTA to DM)

Answer: D

QUESTION 99:

Which utility encrypts the Extended Agent's password?

- A. riddle
- B. encrypt
- C. r3batch
- D. enigma

Answer: D

QUESTION 100:

Which directory contains the scripts/commands required to update a relational database connection configuration?

- A. <twshome>/config
- B. <twshome>/bin
- C. <twshome>/wastools
- D. <twshome>/dbtools

Answer: C

QUESTION 101:

Which twsinst parameter must be specified when installing a fresh instance of a Fault Tolerant Agent?

- A. -thiscpu
- B. -install_dir
- C. -new
- D. -expanded

Answer: C

QUESTION 102:

Which three can Tivoli Workload Scheduler (TWS) V8.3 use as its database? (Choose three.)

- A. a local Oracle RDBMS
- B. a local Informix RDBMS
- C. a remote Sybase RDBMS
- D. a local TWS 8.2 database
- E. DB2 RDBMS
- F. a remote DB2 RDBMS

Answer: A,E,F

QUESTION 103:

What are two ways to view all successful Tivoli Workload Scheduler jobs? (Choose two.)

- A. conman "sj @##+state=0"
- B. sj MASTER#@+state=COMPLETE
- C. a Job Scheduling Console filter to view "Internal Status" of "SUCC" jobs in Plan
- D. conman "sj @##+state=NORMAL"
- E. conman "sj @##+state=SUCC"

Answer: C,E

QUESTION 104:

Which Tivoli Workload Scheduler report command extracts cross-reference information, and directs output to eight files?

- A. xref
- B. rep9a
- C. reptr
- D. rxrtret

Answer: D

QUESTION 105:

What is the unique variable that distinguishes multiple instances of a single job stream definition that were submitted into the same plan?

- A. JS_KEY
- B. SCHED_NAME
- C. JS_NAME
- D. SCHED_ID

Answer: D

QUESTION 106:

What are two ways to view all Tivoli Workload Scheduler jobs with a status of ABEND? (Choose two.)

- A. a Job Scheduling Console filter to view "Internal Status" of "ABEND" jobs in Plan
- B. conman "sj @##+state=ABEND"
- C. conman "sj @##+state=(>0)"
- D. conman "sj @##+state=ERROR"

E. conman "sj @#@+state=FAILED"

Answer: A,B

QUESTION 107:

You are creating a DB2 tablespace during a Tivoli Workload Scheduler installation on an existing instance of DB2. You receive the following error:

System attempted to write to a read-only file

How can you resolve this problem?

- A. give write permission to the parent directory of the tablespace directory
- B. ignore the error and continue
- C. delete the read-only file and re-install DB2 as a different user
- D. re-install DB2 in a different directory

Answer: A

QUESTION 108:

Which command should be executed to install a Tivoli Workload Scheduler (TWS) agent on Solaris?

- A. setup.bin in the SOLARIS folder on the TWS installation disk CD3
- B. setup.exe in the SOLARIS folder
- C. install.bin in the main folder on the TWS installation disk
- D. SETUP.bin in the SOLARIS folder on the TWS installation disk CD3

Answer: D

QUESTION 109:

Which Tivoli Workload Scheduler (TWS) composer command can be used to export database objects to flat files?

- A. list
- B. print
- C. display
- D. create

Answer: D

QUESTION 110:

What are two ways a job can finish in a state of "SUCC," even if its script finishes with an exit code other than zero? (Choose two.)

- A. define a recovery job that finishes correctly
- B. define the job as "Requires Confirmation" and then confirm it as "SUCC"
- C. use return code mapping
- D. select "Continue" for the job
- E. set the job to "Ignore"

Answer: B,C

QUESTION 111:

What is the first Security criterion that Tivoli Workload Scheduler checks when a command is issued by a user either via a command line interface or Job Scheduling Console?

- A. user
- B. source workstation
- C. target workstation
- D. command

Answer: A

QUESTION 112:

Which directory contains a file that has information regarding an agent's patch level?

- A. <twshome>/tmp
- B. <twshome>/version
- C. <twshome>
- D. <twshome>/patch

Answer: B

QUESTION 113:

Which two can be used to install fix packs on a Tivoli Workload Scheduler V8.3 UNIX Fault Tolerant Agent? (Choose two.)

- A. twsinst
- B. customize
- C. install_patch
- D. twspatch
- E. SETUP.bin

Answer: D,E

QUESTION 114:

Which file must be edited to change netman's default port 31111?

- A. jobmanrc
- B. globalopts
- C. BmEvents.conf
- D. localopts

Answer: D

QUESTION 115:

If a CPU fence is set to 100, what priority is needed to run a job on that workstation?

- A. NOW
- B. HIGH
- C. IMMEDIATE
- D. GO

Answer: D

QUESTION 116:

What is the name of a job stream where ad hoc jobs are submitted by default?

- A. ADHOC
- B. USERJOBS
- C. JOBS
- D. ADHOCJOBS

Answer: C

QUESTION 117:

Where are the Tivoli Workload Scheduler (TWS) 8.3 installation prerequisites (i.e., disk space and memory requirements) documented?

- A. TWS 8.3 Release Notes
- B. TWS 8.3 User Guide
- C. TWS 8.3 Reference Manual
- D. TWS 8.3 Administration and Troubleshooting

Answer: A

QUESTION 118:

The Final job stream by default runs two reports. Where is the output of the two reports saved? (Choose two.)

- A. jobstdlist of MakePlan
- B. jobstdlist of UpdatePlan
- C. TWSMerge.log
- D. jobstdlist of SwitchPlan
- E. jobstdlist of CreatePostReports

Answer: A,E

QUESTION 119:

What is the most likely reason for the "Tivoli Workload Scheduler (for <twuser>)" service failing to start after installation on a Windows system?

- A. The Autotrace service is not running.
- B. The executables were corrupted during the install.
- C. The password is incorrect for the service user.
- D. The path to the executables is incorrect.

Answer: C

QUESTION 120:

When do the modifications to the workstation definition take effect?

- A. after the Final schedule runs
- B. when submitting a job that runs on the modified workstation
- C. immediately after the modifications are accepted
- D. when submitting a job stream that runs on the modified workstation

Answer: A

QUESTION 121:

When do changes to the Security file take effect when using the conman command line?

- A. after issuing makesec Security -update
- B. after stopping and starting batchman
- C. after the Final job stream launches
- D. immediately

Answer: D

QUESTION 122:

Which two parameters must be set to configure a Fault Tolerant Agent (FTA) to log notification events for the entire Tivoli Workload Scheduler network? (Choose two.)

- A. "Monitored Jobs=fta_name" in key jobs definition
- B. DUMP_ALL_EVENTS=YES in FTAs BmEvents.conf
- C. LOGGING_REDIRECT=fta_name on MASTER
- D. "full status" in FTA workstation definition
- E. OPTIONS=MASTER in FTAs BmEvents.conf

Answer: D,E

QUESTION 123:

Which files are removed with the rmstdlist command?

- A. connector logs
- B. audit logs
- C. schedlog files
- D. job output files

Answer: D

QUESTION 124:

What is the earliest version of Tivoli Workload Scheduler (TWS) that can be upgraded to V8.3 as documented in the Planning and Installation Guide?

- A. TWS V7.0
- B. TWS V8.2.1
- C. TWS V8.2 at fix pack 5
- D. TWS V8.1 at fix pack 11

Answer: D

QUESTION 125:

Which Tivoli Workload Scheduler report runs automatically each day, outside of the Final schedule?

- A. rep7
- B. No reports run automatically.
- C. rep8
- D. repr

Answer: B

QUESTION 126:

What is the proper syntax to create a Symphony file for 4 days?

- A. MakePlan -from 07/24/06 -to 07/28/06 -for 96
- B. Jnextday 9600
- C. stageman -date 07/24/06 07/28/06
- D. schedulr date +4

Answer: A

QUESTION 127:

Where would you find logs to look for connectivity problems that occurred with Fault Tolerant Agents after the Final schedule runs on June 6, 2006?

- A. <twshome>/stdlist/2006.06.06_ TWSMERGE.log
- B. /tmp/tws/network/error.log
- C. <twshome>/stdlist/logs/20060606_ TWSMERGE.log
- D. <twshome>/log/install.log

Answer: C

QUESTION 128:

Which file can be used to back up the Tivoli Workload Scheduler V8.3 WebSphere Application Server Express configuration files?

- A. backupConfig.bat
- B. backupsettings.exe
- C. backupTWS.bat
- D. backupoptions.exe

Answer: A

QUESTION 129:

When would a job stream be prevented from being added by the Final job stream into the production plan?

- A. the job stream has more concurrent run cycles for current production plan
- B. permissions on the jobs within the stream are not executable
- C. "Draft" is specified for the job stream

D. .jobmanrc is not configured to launch the job stream

Answer: C

QUESTION 130:

Which parameter must be supplied to perform a silent install of the Job Scheduling Console?

- A. -vpd.properties options_filename
- B. -silent import options_filename
- C. -silent -options options_filename
- D. -options_filename

Answer: C

QUESTION 131:

When backing up the Tivoli Workload Scheduler DB2 database, which set of scheduling objects is not backed up?

- A. parameters
- B. workstations
- C. users
- D. local parameters

Answer: D

QUESTION 132:

Which Tivoli Workload Scheduler report command is used to print out a listing of all calendars?

- A. rep11
- B. rep1
- C. rep4
- D. rep3

Answer: D

QUESTION 133:

Which two command line commands can be executed to determine workstations that can be used with switchmgr to act as short-term sub-Domain Managers? (Choose two.)

- A. composer "display cpu=@"

- B. conman "showcpus"
- C. conman "showcpus;info"
- D. conman "showcpus;link"
- E. conman "showcpus;full"

Answer: A,D

QUESTION 134:

What is the internal job state if the job completes and produces no job log?

- A. ABEND
- B. DONE
- C. FAIL
- D. PEND2

Answer: C

QUESTION 135:

You are creating a job stream using the Job Scheduling Console. What happens if a run cycle is NOT specified and the "On Request" option is NOT selected?

- A. The ON condition defaults to "On Request."
- B. An error message is displayed when the job stream is saved.
- C. The job stream is saved as a DRAFT.
- D. The ON condition defaults to EVERYDAY.

Answer: A

QUESTION 136:

How can netman be configured to listen on a specific port?

- A. globalopts
- B. cpu/workstation definition
- C. Symphony
- D. localopts

Answer: D

QUESTION 137:

Which parameter must be specified in BmEvents.conf to force Tivoli Workload Scheduler (TWS) to log batchman events into a text file?

- A. TWS by default logs to <twshome>/audit
- B. LOG_FILE=<file_path>
- C. PIPE=<file_path>
- D. FILE=<file_path>

Answer: D

QUESTION 138:

In which file are the local options stored for a Tivoli Workload Scheduler workstation?

- A. <twshome>/mozart/globalopts
- B. <twshome>/localopts
- C. <twshome>/options
- D. <twshome>/StartUp

Answer: B

QUESTION 139:

After several modifications to Certkiller .coms start of day procedures, their Final job stream is set to launch one minute after the start time. What effect will this have on their production?

- A. The Final job stream will run as scheduled.
- B. The Final job stream will need to be run manually.
- C. The Final job stream will loop continuously.
- D. The Final job stream will never run successfully.

Answer: A

QUESTION 140:

Which type of additional Tivoli Workload Scheduler (TWS) agent should be deployed when the Master Domain Manager and multiple TWS agents are separated by a firewall in order to keep the number of ports opened on the firewall to a minimum?

- A. Domain Manager
- B. Fault Tolerant Agent
- C. Extended Agent
- D. Standard Agent

Answer: A

QUESTION 141:

The Master Domain Manager (MDM) is unable to link to a Fault Tolerant Agent (FTA) to refresh the production plan on the FT

A. What are two possible causes of this problem?
(Choose two.)

- A. Netman is not up and running on the FTA.
- B. One of the .msg files has reached the maximum size.
- C. The jobmanrc script is not executable.
- D. The FTA is not installed with the default user.
- E. Batchman is not running on the FTA.

Answer: A,B

QUESTION 142:

What must be added to a Tivoli Workload Scheduler V8.3 configuration to enable checking for late jobs?

- A. localopts parameter bm check deadline
- B. localopts parameter bm check status
- C. globalopts parameter bm check file
- D. globalopts parameter bm check until

Answer: A

QUESTION 143:

Where is the compiled Security file located?

- A. <twshome>/mozart/Security
- B. <twshome>/network/Security
- C. <twshome>/Security
- D. <twshome>/config/Security

Answer: C

QUESTION 144:

Which two commands display the node in the plan that the Master Domain Manager is currently using to connect with a Fault Tolerant Agent? (Choose two.)

- A. composer display cpu=<FTA>
- B. cpuinfo <FTA>
- C. conman showcpu;l
- D. composer di c=<FTA>
- E. conman showcpu;info

Answer: B,C

QUESTION 145:

When using DB2 for the Tivoli Workload Scheduler database, which script(s) should be run after running the ResetPlan scratch command?

- A. dbreorg and dbrunstats
- B. dbreorg only
- C. dbrunstats only
- D. No additional scripts need to be run.

Answer: A

QUESTION 146:

Which script is used to update a changed DB2 port?

- A. twsinst.sh -update
- B. changeDataSourceProperties.sh
- C. db2port -update
- D. SETUP.bin -update

Answer: B

QUESTION 147:

A Tivoli Workload Scheduler (TWS) Master Domain Manager (MDM) fails. What is the best way to resume TWS operations?

- A. perform switchmgr to the Backup MDM
- B. have full status Fault Tolerant Agents maintain the production schedule until normal production is resumed
- C. perform switchmgr to another Backup Domain Manager within another Domain
- D. perform switchmgr to the MDM

Answer: A

QUESTION 148:

Which method should be used to migrate Tivoli Framework administrators when upgrading Tivoli Workload Scheduler?

- A. migrfwkusr script
- B. twsinst -migruser

- C. twsmigrate.pl script
- D. wmigratefwuser command

Answer: A

QUESTION 149:

How can the number of concurrent jobs running on specific workstations be controlled?

- A. set the limit
- B. set the priority
- C. set the job control
- D. set the fence

Answer: A

QUESTION 150:

What is the proper way to export the Tivoli Workload Scheduler V8.3 Security file?

- A. dump Users.txt
- B. dumpsec > security_update.txt
- C. db2 -user <user> edit
- D. makesec Security

Answer: B